

Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: BROMODES 90

• **Article number:** 99980000620

 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Acidic cleaning product for use in food industry.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number: België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

+3237554874

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

(Contd. of page 1)

· Hazard pictograms





· Signal word Danger

· Hazard statements H302+H312+H332 Harmful if swallowed, in contact with skin or if

inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

• **Precautionary statements** P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

protection//ace protection//rearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

CAS: 7664-93-9	aulaburia acid	50–1009
EINECS: 231-639-5	sulphuric acid Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	30-700
CAS: 79-08-3 EINECS: 201-175-8	bromoacetic acid Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1A, H314; Aquatic Acute 1, H400; Skin Sens. 1, H317	≥2.5–<5
CAS: 75-75-2 EINECS: 200-898-6	methanesulphonic acid Skin Corr. 1B, H314; Acute Tox. 4, H302	≥2.5–<5
CAS: 37971-36-1 EINECS: 253-733-5 Reg.nr.: 01-2119436643-39- XXXX	2-phosphonobutane-1,2,4-tricarboxylic acid Met. Corr.1, H290; Eye Irrit. 2, H319	≤2.5%

4 First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

• After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for

transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing: Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor

immediately.

 4.2 Most important symptoms and effects, both acute and

delayed Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Inhalation: malaise, dizziness Ingestion: burns, irritation, pain.

(Contd. on page 4)



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

(Contd. of page 3)

· 4.3 Indication of any immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

5 Firefighting measures

· 5.1 Extinguishing media · Suitable extinguishing

agents:

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or

mixture

During heating or in case of fire poisonous gases are produced.

· 5.3 Advice for firefighters

· Protective equipment:

Mouth respiratory protective device.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental

precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe

handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep respiratory protective device available.

(Contd. on page 5)



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

(Contd. of page 4)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· 8.1 Control parameters

 Ingredients with limit values that require monitoring at the workplace: 	· Ingredients with	limit values that	require monitorin	g at the workplace:
---	--------------------	-------------------	-------------------	---------------------

CAS: 7664-93-9 sulphuric acid (50–100%)

WEL (Great Britain) Long-term value: 0.05* mg/m3

*mist: defined as thoracic fraction

IOELV (EU) Long-term value: 0.05 mg/m³

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter

device. In case of intensive or longer exposure use self-contained

respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant

to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the

penetration times, rates of diffusion and the degradation

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be

(Contd. on page 6)



Version number 4.02 (replaces version 4.01) Revision: 25.01.2024 Printing date 25.01.2024

Trade name: BROMODES 90

(Contd. of page 5)

calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Light red · Odour: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

280 °C boiling range

Not applicable. · Flammability

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. · Decomposition temperature (SADT): Not determined. Not determined. · pH

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

Fully miscible. · water:

· Partition coefficient n-octanol/water (log

Not determined. value) 23 hPa

· Vapour pressure at 20 °C:

· Density and/or relative density

1.621 g/cm3 · Density at 20 °C: · Relative density Not determined. Not determined. · Vapour density

· 9.2 Other information

· Appearance:

· Form: Fluid

(Contd. on page 7)



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

(Contd. of page 6)

Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· **VOC (EC)** 0.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Void · Pyrophoric solids · Self-heating substances and mixtures Void · Substances and mixtures, which emit Void flammable gases in contact with water · Oxidising liquids Void

Oxidising solids
 Organic peroxides
 Corrosive to metals
 Desensitised explosives

Void

 Void

10 Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions Violent reactions with strong alkalis and oxidising agents.

10.4 Conditions to avoid No further relevant information available.
 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: Bromine

GB



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

(Contd. of page 7)

11 Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
• Acute toxicity Harmful if swallowed, in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:				
CAS: 79-08-3 bromoacetic acid				
Oral	LD50	100 mg/kg (rat) Acute		
Dermal	LD50	50–400 mg/kg (rat)		
Inhalative	LC50/ 4h	0.5–2 mg/l (rat)		

Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity:			
	CAS: 79-08-3 bromoacetic acid		
	EC50	0.2 mg/kg (algae) 72 h	
		65 mg/kg (Daphnia magna) 24 h	

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

(Contd. on page 9)



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

(Contd. of page 8)

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Water hazard class 3 (German Regulation) (Self-assessment):

extremely hazardous for water

Do not allow product to reach ground water, water course or

sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Danger to drinking water if even extremely small quantities leak into

the ground.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

14 Transport information

· 14.2 UN proper shipping name

· ADR UN3264 CORROSIVE LIQUID, ACIDIC,

INORGANIC, N.O.S. (SULPHURIC ACID,

BROMOACETIC ACID)

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC,

N.O.S. (SULPHURIC ACID, BROMOACETIC

ACID)

· Class 8 Corrosive substances.

· **Label** 8 · **ADR, IMDG, IATA** //

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80
 EMS Number: F-A,S-B
 Segregation groups (SGG1) Acids

· Stowage Category

· Stowage Code SW2 Clear of living quarters.

(Contd. on page 10)



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

(Contd. of page 9)

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· Transport category 2
· Tunnel restriction code E
· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 3264 CORROSIVE LIQUID, ACIDIC,

INORGANIC, N.O.S. (SULPHURIC ACID,

BROMOACETIC ACID), 8, II

15 Regulatory information

UN "Model Regulation":

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

CAS: 7664-93-9 sulphuric acid

15%

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

· Hazard pictograms





GHS05 GHS07

· Signal word Danger

· Hazard statements H302+H312+H332 Harmful if swallowed, in contact with skin or if

inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

• Precautionary statements P260 Do not breathe dusts or mists.

(Contd. on page 11)



Printing date 25.01.2024 Version number 4.02 (replaces version 4.01) Revision: 25.01.2024

Trade name: BROMODES 90

(Contd. of page 10)

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

Directive 2012/18/EU

· Named dangerous

substances - ANNEX I None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

	• • • • •
Class	Snarean %
0.900	J. 1.25g. 10
, ,	7.0
I	

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases** H290 May be corrosive to metals.

H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

(Contd. on page 12)

Page 12/12



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 4.02 (replaces version 4.01)

Trade name: BROMODES 90

(Contd. of page 11)

Revision: 25.01.2024

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

* * Data compared to the previous version altered.

- GB