

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

## 1 Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

· Trade name: **CHLORODES 170**

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Biocide  
Toelatingsnummer: 3311B

### · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio  
Doornpark 36  
9120 Beveren  
Belgium  
Tel.: +32 3 755 48 74  
Fax.: +32 3 755 51 55  
e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone number:

België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245 245  
Nederland: Nationaal Vergiftigingen Informatie Centrum : +31 30 274 88 88  
+3237554874

## 2 Hazards identification

### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.  
Skin Corr. 1A H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.  
Aquatic Acute 1 H400 Very toxic to aquatic life.  
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

### · 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05 GHS09

· Signal word

Danger

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 1)

- **Hazard statements**
  - H290 May be corrosive to metals.
  - H314 Causes severe skin burns and eye damage.
  - H410 Very toxic to aquatic life with long lasting effects.
- **Precautionary statements**
  - P260 Do not breathe dust/fume/gas/mist/vapours/spray.
  - P273 Avoid release to the environment.
  - P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
  - P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P310 Immediately call a POISON CENTER/doctor.
- **Additional information:** EUH031 Contact with acids liberates toxic gas.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 7681-52-9 EINECS: 231-668-3 Reg.nr.: 01-2119488154-34-XXXX	sodium hypochlorite, solution Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302, EUH031 Specific concentration limit: EUH031: C ≥ 5 %	10–25%
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27-XXXX	sodium hydroxide Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥0.5–≤2%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 2)

#### 4 First aid measures

##### · 4.1 Description of first aid measures

- **General information:** *Seek medical treatment.  
Immediately remove any clothing soiled by the product.*
- **After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:** *If skin irritation continues, consult a doctor.  
Immediately wash with water and soap and rinse thoroughly.*
- **After eye contact:** *Seek medical treatment.  
Rinse opened eye for several minutes under running water. Then consult a doctor.*
- **After swallowing:** *Rinse out mouth and then drink plenty of water.  
Drink plenty of water and provide fresh air. Call for a doctor immediately.*

##### · 4.2 Most important symptoms and effects, both acute and delayed

*No further relevant information available.*

##### · 4.3 Indication of any immediate medical attention and special treatment needed

*Treat frost-bitten areas appropriately.*

#### 5 Firefighting measures

##### · 5.1 Extinguishing media

##### · Suitable extinguishing agents:

*Water haze*

*Use fire extinguishing methods suitable to surrounding conditions.*

##### · For safety reasons unsuitable extinguishing agents:

*Non*

##### · 5.2 Special hazards arising from the substance or mixture

*In case of fire, the following can be released:*

*Oxygen (O<sub>2</sub>)*

##### · 5.3 Advice for firefighters

##### · Protective equipment:

*Wear fully protective suit.*

*Mouth respiratory protective device.*

#### 6 Accidental release measures

##### · 6.1 Personal precautions, protective equipment and emergency procedures

*Ensure adequate ventilation*

*Wear protective clothing.*

(Contd. on page 4)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 3)

· **6.2 Environmental precautions:**

*Dilute with plenty of water.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.*

· **6.3 Methods and material for containment and cleaning up:**

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Dilute with plenty of water.*

· **6.4 Reference to other sections**

*See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.*

**7 Handling and storage**

· **7.1 Precautions for safe handling**

*Store in cool, dry place in tightly closed receptacles.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.*

· **Information about fire - and explosion protection:**

*No special measures required.*

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

*Provide ventilation for receptacles.  
Store in a cool location.*

· **Information about storage in one common storage facility:**

*Store away from reducing agents.  
Store away from flammable substances.  
Do not store together with acids.*

· **Further information about storage conditions:**

*Keep container tightly sealed.*

· **7.3 Specific end use(s)**

*No further relevant information available.*

**8 Exposure controls/personal protection**

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 1310-73-2 sodium hydroxide (≥0.5–†%)**

**WEL (Great Britain) Short-term value: 2 mg/m<sup>3</sup>**

(Contd. on page 5)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024


Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 4)


- **Additional information:** *The lists valid during the making were used as basis.*
  
- **8.2 Exposure controls**
- **Appropriate engineering controls** *No further data; see section 7.*
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** *Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.*
- **Respiratory protection:** *Not necessary if room is well-ventilated.  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*
- **Hand protection**



**Protective gloves**

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
- **Material of gloves**

*PVC gloves  
Rubber gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*
- **Penetration time of glove material** *The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye/face protection**



**Tightly sealed goggles**
- **Body protection:** *Use protective suit.*

## 9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Colour:** *Yellow*
- **Odour:** *Like chlorine*
- **Odour threshold:** *Not determined.*

(Contd. on page 6)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 5)

· <b>Melting point/freezing point:</b>	<-16 °C
· <b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
· <b>Flammability</b>	Not applicable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	Not applicable
· <b>Decomposition temperature (SADT):</b>	Not determined.
· <b>pH at 20 °C</b>	13.5
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic at 20 °C:</b>	2.6 mPas
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	23 hPa
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.22 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void

(Contd. on page 7)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 6)

- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** May be corrosive to metals.
- **Desensitised explosives** Void

**10 Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Corrosive action on metals.  
Reacts with acids releasing chlorine.
- **10.4 Conditions to avoid** High temperatures and direct sunlight  
UV light causes decomposition
- **10.5 Incompatible materials:** Metals  
Combustible materials
- **10.6 Hazardous decomposition products:** Poisonous gases/vapours  
Chlorine compounds  
When mixed with acidic solutions chlorine gas can be formed

**11 Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**CAS: 7681-52-9 sodium hypochlorite, solution**

Oral	LD50	5,800 mg/kg (mouse) 1,100 mg/kg (rat) (OECD Test Guideline 401)
Dermal	LD50	>20,000 mg/kg (rabbit) (OECD Test Guideline 402)
Inhalative	LC50	>10.5 mg/kg (rat) (OECD Test Guideline 403)

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 8)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 7)

- **STOT-repeated exposure**      *Based on available data, the classification criteria are not met.*
- **Aspiration hazard**            *Based on available data, the classification criteria are not met.*
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

*None of the ingredients is listed.*

**12 Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 7681-52-9 sodium hypochlorite, solution**

LC50/ 96h 0.06 mg/l (fish)

EC50/ 48h 0.141 mg/l (Daphnia magna) (OECD Test Guideline 202)

· **12.2 Persistence and degradability**

*Not persistence*

· **12.3 Bioaccumulative potential**

*not bioaccumulative*

· **12.4 Mobility in soil**

*No further relevant information available.*

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

*Not applicable.*

· **vPvB:**

*Not applicable.*

· **12.6 Endocrine disrupting properties**

*For information on endocrine disrupting properties see section 11.*

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

*Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water*

*Do not allow product to reach ground water, water course or sewage system.*

*Must not reach sewage water or drainage ditch undiluted or unneutralised.*

*Danger to drinking water if even small quantities leak into the ground.*

*The surfactants ingredients of the product are biodegradable according to the requirements of regulation 648/2004/EC.*

*Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.*

GB

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 8)

**13 Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**                      *Must not be disposed together with household garbage. Do not allow product to reach sewage system.*

· **Uncleaned packaging:**

· **Recommendation:**                      *Disposal must be made according to official regulations.*

· **Recommended cleansing agents:**

*Water, if necessary together with cleansing agents.*

**14 Transport information**

· **14.2 UN proper shipping name**

· **ADR**    *UN1791 HYPOCHLORITE SOLUTION, ENVIRONMENTALLY HAZARDOUS*  
 · **IMDG**    *HYPOCHLORITE SOLUTION, MARINE POLLUTANT*  
 · **IATA**    *HYPOCHLORITE SOLUTION*  
 · **Class**    *8 Corrosive substances.*  
 · **Label**    *8*  
 · **ADR, IMDG, IATA**                              *II*

· **14.5 Environmental hazards:**

· **Marine pollutant:**                              *Yes*  
     *Symbol (fish and tree)*  
 · **Special marking (ADR):**                      *Symbol (fish and tree)*  
 · **14.6 Special precautions for user**              *Warning: Corrosive substances.*

· **Hazard identification number (Kemler code):** *80*

· **EMS Number:**                                      *F-A,S-B*

· **Segregation groups**                              *Hypochlorites*

· **Stowage Category**                                      *B*

· **Segregation Code**                                      *SG20 Stow "away from" SGG1-acids*

· **14.7 Maritime transport in bulk according to IMO instruments**                                      *Not applicable.*

· **Limited quantities (LQ)**                              *1L*

· **Excepted quantities (EQ)**                              *Code: E2*  
     *Maximum net quantity per inner packaging: 30 ml*  
     *Maximum net quantity per outer packaging: 500 ml*

· **Transport category**                                      *2*

· **Tunnel restriction code**                                      *E*

· **Limited quantities (LQ)**                              *1L*

· **Excepted quantities (EQ)**                              *Code: E2*  
     *Maximum net quantity per inner packaging: 30 ml*  
     *Maximum net quantity per outer packaging: 500 ml*

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

· **UN "Model Regulation":**

(Contd. of page 9)  
**UN 1791 HYPOCHLORITE SOLUTION, 8, II,  
ENVIRONMENTALLY HAZARDOUS**

\* **15 Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05 GHS09

· **Signal word**

**Danger**

· **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I**

None of the ingredients is listed.

· **Seveso category**

E1 Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements**

100 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements**

200 t

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 11)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 3.03 (replaces version 3.02)

Revision: 25.01.2024

**Trade name: CHLORODES 170**

(Contd. of page 10)

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**
  - H302 Harmful if swallowed.
  - H314 Causes severe skin burns and eye damage.
  - H315 Causes skin irritation.
  - H318 Causes serious eye damage.
  - H319 Causes serious eye irritation.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
  - EUH031 Contact with acids liberates toxic gas.
- **Contact:**
  - Wim Lampaert
  - MSc Chemistry
- **Abbreviations and acronyms:**
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - Met. Corr. 1: Corrosive to metals – Category 1
  - Acute Tox. 4: Acute toxicity – Category 4
  - Skin Corr. 1A: Skin corrosion/irritation – Category 1A
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
  - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
  - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
  - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

- **\* Data compared to the previous version altered.**