

· 1.1 Product identifier		
· Trade name:	DEFOAMTENS B	
· 1.2 Relevant identified uses		
of the substance or mixture		
and uses advised against	No further relevant information available.	
· Application of the substance		
/ the mixture	Defoamers, Anti-foaming agent	
• 1.3 Details of the supplier of t	he safety data sheet	
Manufacturer/Supplier:	Tensio	
	Doornpark 36	
	9120 Beveren	
	Belgium	
	Tel.: +32 3 755 48 74	
	Fax.: +32 3 755 51 55	
	e-mail: info@tensio.be	
· Further information		
obtainable from:	Product Safety Departement: SDS@tensio.be	
· 1.4 Emergency telephone		
number:	België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 24 245	
	Nederland: Nationaal Vergiftigingen Informatie Centrum : +31 3 274 88 88	
	Members of the public seeking specific information on poison should contact:	
	In England and Wales: NHS 111 - dial 111	
	In Scotland: NHS 24 - dial 111	
	+3237554874	

 Classification according to Regulation (EC) No 1272/2008
 Skin Corr. 1 H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.
 2.2 Label elements

 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.
 Hazard pictograms
 (Contd. on page 2)



Printing date 22.03.2023 Version number 1.01 (replaces version 1.00)

Revision: 22.03.2023

### Trade name: **DEFOAMTENS B**

		(Contd. of page 1)
<sup>.</sup> Signal word	Danger	
· Hazard-determining		
components of labelling:	FATTY ALCOHO	L ALCOXYLATE
<ul> <li>Hazard statements</li> </ul>	H314 Causes sev	ere skin burns and eye damage.
<ul> <li>Precautionary statements</li> </ul>	P280	Wear protective gloves / eye protection.
	P301+P330+P33	1 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
	P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P309+P311	IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<sup>.</sup> 2.3 Other hazards		
· Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

· 3.2 Mixtures		
<ul> <li>Description:</li> </ul>	Mixture of substances listed below with nonh	azardous additions.
· Dangerous comp	onents:	
	FATTY ALCOHOL ALCOXYLATE	10–25%
	Skin Corr. 1, H314; Eye Dam. 1, H318	
CAS: 28348-53-0	sodium cumenesulphonate 10	
EINECS: 248-983-	() Eye Irrit. 2, H319	

# 4 First aid measures 4.1 Description of first aid measures General information: Immediately remove any clothing soiled by the product. After inhalation: In case of unconsciousness place patient stably in side position for transportation.

	i anoportation.
· After skin contact:	Immediately wash with water and soap and rinse thoroughly.
<sup>.</sup> After eye contact:	Rinse opened eye for several minutes under running water. Then
	consult a doctor.
	(Contd. on node 2)

(Contd. on page 3)

GB



Printing date 22.03.2023 Version number 1.01 (replaces version 1.00) Revision: 22.03.2023

### Trade name: DEFOAMTENS B

	(Ountil of more O
· After swallowing:	(Contd. of page 2) Drink plenty of water and provide fresh air. Call for a doctor immediately.
· 4.2 Most important symptoms	5
and effects, both acute and	
delayed	Skin contact: burns, pain, redness.
	Eye contact: lesions, irritations, pain, tearing, redness.
	Ingestion: burns, irritation, pain.
<ul> <li>4.3 Indication of any</li> </ul>	
immediate medical attention	
and special treatment needeo	I Treat symptomatically. An eyewash is recommended in the immediate work area.
5 Firefighting measures	
· 5.1 Extinguishing media	
· Suitable extinguishing	
agents:	CO2, powder or water spray. Fight larger fires with water spray o alcohol resistant foam.
· 5.2 Special hazards arising	
from the substance or	
mixture	No further relevant information available.
<ul> <li>5.3 Advice for firefighters</li> </ul>	
· Protective equipment:	No special measures required.
6 Accidental release measur	res
· 6.1 Personal precautions,	
protective equipment and	
emergency procedures	Wear protective equipment. Keep unprotected persons away.
· 6.2 Environmental	
precautions:	Dilute with plenty of water.
	Do not allow to enter sewers/ surface or ground water.
· 6.3 Methods and material for	
containment and cleaning up	· Abaarb with liquid hinding material (and distamite and hinders

 containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Use neutralising agent.

 Dispose contaminated material as waste according to item 13.

 Ensure adequate ventilation.

 • 6.4 Reference to other sections

 See Section 7 for information on safe handling.

 See Section 8 for information on personal protection equipment.

 See Section 13 for disposal information.

(Contd. on page 4)

GB



Printing date 22.03.2023 Version number 1.01 (replaces version 1.00) Revision: 22.03.2023

### Trade name: **DEFOAMTENS B**

(Contd. of page 3)

7.1 Precautions for safe	
handling	No special precautions are necessary if used correctly.
Information about fire - and	
explosion protection:	No special measures required.
7.2 Conditions for safe storag	e, including any incompatibilities
Storage:	
otorago.	
Requirements to be met by	
5	Store in a cool location.
Requirements to be met by	Store in a cool location.
Requirements to be met by storerooms and receptacles:	
Requirements to be met by storerooms and receptacles: Information about storage in	
Requirements to be met by storerooms and receptacles: Information about storage in one common storage facility:	

#### 8 Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: CAS: 64-17-5 ethanol (2.5-10%) WEL (Great Britain) Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Appropriate engineering No further data; see item 7. controls · Individual protection measures, such as personal protective equipment · General protective and Keep away from foodstuffs, beverages and feed. hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Respiratory protection: Not required. · Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation The selection of the suitable gloves does not only depend on the · Material of gloves material, but also on further marks of quality and varies from (Contd. on page 5) GB



Printing date 22.03.2023

GB

Revision: 22.03.2023

### Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.01 (replaces version 1.00)

Trade name: DEFOAMTENS B (Contd. of page 4) manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove The exact break trough time has to be found out by the material manufacturer of the protective gloves and has to be observed. · Eye/face protection Tightly sealed goggles 9 Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information Fluid Physical state · Colour: Clear · Odour: Characteristic · Odour threshold: Not determined. • Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and >90 °C boiling range Not applicable. · Flammability · Lower and upper explosion limit Not determined. · Lower: · Upper: Not determined. · Flash point: 23 - 60 °C · Decomposition temperature (SADT): Not determined. · pH at 20 °C 6 · Viscosity: · Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility · water: Fully miscible. · Partition coefficient n-octanol/water (log Not determined. value) Vapour pressure at 20 °C: 23 hPa · Density and/or relative density · Density at 20 °C: 1.03 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined. · 9.2 Other information · Appearance: · Form: Fluid (Contd. on page 6)



Page 6/10

### Printing date 22.03.2023 Version number 1.01 (replaces version 1.00)

Revision: 22.03.2023

### Trade name: DEFOAMTENS B

	(Contd. of page
Important information on protection of hea	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	8.0 %
VOC (EC)	8.00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### 10 Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition /</li> </ul>	No further relevant information available.
conditions to be avoided:	No decomposition if used according to specifications.
<ul> <li>10.3 Possibility of hazardous</li> </ul>	
reactions	No dangerous reactions known.
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> </ul>	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known.

(Contd. on page 7)



Printing date 22.03.2023 Version number 1.01 (replaces version 1.00)

Revision: 22.03.2023

### Trade name: **DEFOAMTENS B**

(Contd. of page 6)

### 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data, the classification criteria are not met.

· Acute toxicity

· LD/LC50 values relevant for classification:

FATTY ALCOHOL ALCOXYLATE

Oral LD50 >2,000 mg/kg (rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.

• Serious eye damage/irritation Causes serious eye damage.

<sup>.</sup> 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

#### 12 Ecological information

· 12.1 Toxicity	
· Aquatic toxicity:	No further relevant information available.
<sup>.</sup> 12.2 Persistence and	
degradability	No further relevant information available.
· 12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vPv	B assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
• 12.6 Endocrine disrupting	
properties	The product does not contain substances with endocrine disrupting
	properties.
<ul> <li>12.7 Other adverse effects</li> </ul>	
<ul> <li>Additional ecological inform</li> </ul>	ation:
· General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
	Must not reach sewage water or drainage ditch undiluted or unneutralised.
	The surfactants ingredients of the product are biodegradable according to the requirements of regulation 648/2004/EC.
	GB

(Contd. on page 8)



Printing date 22.03.2023 Version number 1.01 (replaces version 1.00) Revision: 22.03.2023

#### Trade name: DEFOAMTENS B

(Contd. of page 7)

13.1 Waste treatment meth	ods
Recommendation	Must not be disposed together with household garbage. Do r allow product to reach sewage system.
Uncleaned packaging:	
Recommendation:	Disposal must be made according to official regulations.
Recommended cleansing	
agents:	Water, if necessary together with cleansing agents.


#### ort information 7

• 14.2 UN proper shipping name	
ADN	Void
· ADR, ADN, IMDG, IATA	Void
· Class	Void
· ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> </ul>	
· Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accord	ding to
IMO instruments	Not applicable.
· UN "Model Regulation":	Void

#### 15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP



Printing date 22.03.2023 Version number 1.01 (replaces version 1.00) Re

Revision: 22.03.2023

### Trade name: DEFOAMTENS B

	P301+P330+P331	(Contd. of page 8) IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.		
	P305+P351+P338	FIN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P309+P311	IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.		
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.		
<ul> <li>Directive 2012/18/EU</li> <li>Named dangerous</li> <li>substances - ANNEX I</li> </ul>	None of the ingred	lients is listed.		
· National regulations:				
Information about limitation of use:				
	Class Share in	<b>1%</b>		
<ul> <li>15.2 Chemical safety assessment:</li> </ul>	A Chemical Safety	Assessment has not been carried out.		

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation.
· Contact:	Wim Lampaert MSc Chemistry
· Abbreviations and acronyms:	<ul> <li>RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)</li> <li>ICAO: International Civil Aviation Organisation</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>VOC: Volatile Organic Compounds (USA, EU)</li> <li>LC50: Lethal concentration, 50 percent</li> </ul>

GB



Printing date 22.03.2023 Version number 1.01 (replaces version 1.00)

Revision: 22.03.2023

Trade name: **DEFOAMTENS B** 

(Contd. of page 9)

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

• \* Data compared to the previous version altered.