

Revision: 25.01.2024 Printing date 25.01.2024 Version number 3.01 (replaces version 3.00) 1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier TENSACID CU · Trade name: · Article number: 99980001692 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Acidic cleaning product for use in food industry. 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Tensio Doornpark 36 9120 Beveren Belgium Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be · Further information obtainable from: Product Safety Departement: SDS@tensio.be · 1.4 Emergency telephone number: België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245 245 Nederland: Nationaal Vergiftigingen Informatie Centrum : +31 30 274 88 88 Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 +3237554874 2 Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- · Labelling according to
- **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



(Contd. on page 2)



Printing date 25.01.2024

Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

Signal word	Danger	(Contd. of page 1)
Hazard-determining		
components of labelling:	phosphoric acia	,
·····	alkylether carbo	
	•	netris(phosphonic acid)
Hazard statements		
Precautionary statements	P260	Do not breathe dusts or mists.
,	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately al
		contaminated clothing. Rinse skin with water [or
		shower].
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, in present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P405	Store locked up.
	P501	Dispose of contents/container in accordance with local/regional/national/internationa
2 2 Other hererde		regulations.
2.3 Other hazards		
Results of PBT and vPvB as		
PBT:	Not applicable.	
vPvB:	Not applicable.	

3.2 Mixtures Description:	Mixture of substances listed below with nonhazardou	us additions.
Dangerous components:		
	anionic surfactants 〈〉 Skin Corr. 1A, H314; Eye Dam. 1, H318	≥1–≤2.5%
CAS: 7664-38-2 EINECS: 231-633-2 Reg.nr.: 01-2119485924-24- XXXX	 phosphoric acid ◇ Skin Corr. 1B, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % 	50–100%
CAS: 6419-19-8 EINECS: 229-146-5	nitrilotrimethylenetris(phosphonic acid) 〈〉 Skin Corr. 1A, H314; Eye Dam. 1, H318	≥1–≤2.5%
CAS: 29385-43-1 EINECS: 249-596-6	methyl-1H-benzotriazole Acute Tox. 4, H302	≤2.5%



Printing date 25.01.2024 Version number 3.01

Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

· Additional information:	(Contd. of page 2) For the wording of the listed hazard phrases refer to section 16.

4.1 Description of first aid	
General information:	Immediately remove any clothing soiled by the product.
After inhalation:	Supply fresh air; consult doctor in case of complaints.
After skin contact:	If skin irritation continues, consult a doctor. Immediately rinse with water.
After eye contact:	Rinse opened eye for several minutes under running water. Ther consult a doctor.
After swallowing:	If symptoms persist consult doctor.
Information for doctor:	Oral intake : Do not administer sodiumbicarbonate to neutralise This can cause CO2 gas formation which can lead to perforation o the stomach. Slowly drink aluminiumoxide (AI2O3) suspended ir water.
4.2 Most important sympto	ms
and effects, both acute and	
delayed	Skin contact: burns, pain, redness.
	Eye contact: lesions, irritations, pain, tearing, redness. Inhalation: malaise, dizziness Ingestion: burns, irritation, pain.
4.3 Indication of any	ngestion. burns, intation, pain.
immediate medical attentio	n
and special treatment need	led In cases of irritation to the lungs, initial treatment with Dexamethason metered aerosol. Treat symptomatically. An eyewash is recommended in the immediate work area.

5 Firefighting measures	
5.1 Extinguishing media	
· Suitable extinguishing	
agents:	Not flammable substance
	Use fire extinguishing methods suitable to surrounding conditions.
 5.2 Special hazards arising from the substance or 	
<i>mixture</i> · 5.3 Advice for firefighters	During heating or in case of fire poisonous gases are produced.
• Protective equipment:	Wear fully protective suit.
	Wear self-contained respiratory protective device.
	Mouth respiratory protective device.
	(Contd. on page 4)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

Trade name: TENSACID CU

	(Contd. of page 3)
• Additional information	Collect contaminated fire fighting water separately. It must not enter
	the sewage system.

6 Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Mount respiratory protective device.
	Wear protective equipment. Keep unprotected persons away.
· 6.2 Environmental	
precautions:	Do not allow to enter sewers/ surface or ground water.
[.] 6.3 Methods and material for	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	Use neutralising agent.
	Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
· 6.4 Reference to other	
sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe		
handling	When diluting always pour product into water and not vice versa. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.	
 Information about fire - and 		
explosion protection:	Keep respiratory protective device available.	
 7.2 Conditions for safe storag Storage: 	e, including any incompatibilities	
· Requirements to be met by		
storerooms and receptacles:	Store only in the original receptacle.	
-	Store in a cool location.	
· Information about storage in		
one common storage facility:	Store away from foodstuffs.	
Further information about	•	
storage conditions:	Keep container tightly sealed.	
· 7.3 Specific end use(s)	No further relevant information available.	
		- GB —

(Contd. on page 5)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

(Contd. of page 4)

	neters	
-		es that require monitoring at the workplace:
•	•	c acid (50–100%)
WEL (Great Britai		erm value: 2 mg/m ³
· • -· · · / / -· · ·	-	rm value: 1 mg/m³
IOELV (EU)		erm value: 2 mg/m ³
	-	rm value: 1 mg/m³
Additional inform	nation:	The lists valid during the making were used as basis.
8.2 Exposure co	ntrols	
Appropriate eng		
controls	•	No further data; see section 7.
-		ures, such as personal protective equipment
General protecti		· · · · · · · · · · · · · · · · · · ·
hygienic measur	es:	Keep away from foodstuffs, beverages and feed.
		Immediately remove all soiled and contaminated clothing
		Wash hands before breaks and at the end of work.
		Avoid contact with the eyes.
D		Avoid contact with the eyes and skin.
Respiratory prot	ection:	In case of brief exposure or low pollution use respiratory fil
		device. In case of intensive or longer exposure use self-contair
Hand protection		respiratory protective device.
Παπά ριστεςτισπ		Drotoctive glaves
		Protective gloves
		The glove material has to be impermeable and resist
		to the product/ the substance/ the preparation.
		Selection of the glove material on consideration of t
		penetration times, rates of diffusion and the degradation
Material of glove	S	The selection of the suitable gloves does not only depend on
		material, but also on further marks of quality and varies fr
		manufacturer to manufacturer. As the product is a preparation
		several substances, the resistance of the glove material can not
		calculated in advance and has therefore to be checked prior to
		application.
Penetration time	of glove	
material		The exact break trough time has to be found out by t
		manufacturer of the protective gloves and has to be observed.
Eye/face protect	ion	
		Tightly sealed goggles
Body protection		Protective work clothing
		(Contd. on page



Printing date 25.01.2024

Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

Acid resista	(Contd. of page ant protective clothing	
9 Physical and chemical properties		
· 9.1 Information on basic physical and che	emical properties	
· General Information		
· Physical state	Fluid	
· Colour:	Yellow	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
• Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and	endetermined.	
boiling range	>100 °C	
· Flammability	Not applicable.	
· Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable	
· Decomposition temperature (SADT):	Not determined.	
· pH	Not determined.	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Dynamic:	Not determined.	
· Solubility	Not determined.	
· water:	Not miscible or difficult to mix.	
· Partition coefficient n-octanol/water (log		
value)	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density and/or relative density	25 m a	
· Density at 20 °C:	1.35 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· vapour density	Not determined.	
· 9.2 Other information		
· Appearance:		
· Form:	Fluid	
· Important information on protection of he	ealth	
and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Solvent content:		
· VOC (EC)	0.00 %	
· Change in condition		
· Evaporation rate	Not determined.	
-	(Contd. on page	



Printing date 25.01.2024

Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

Trade name: TENSACID CU

		(Contd. of pag
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

· 10.1 Reactivity · 10.2 Chemical stability · Thermal decomposition /	No further relevant information available.
conditions to be avoided:	No decomposition if used according to specifications.
 10.3 Possibility of hazardous 	
reactions	Reacts with strong alkali.
	Exothermic reaction.
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known.

11 Toxicological information

· 11.1 li	nformat	on on hazard classes as defined in Regulation (EC) No 1272/2008	
· Acute toxicity		Based on available data, the classification criteria are not met.	
· LD/LC	C50 valu	es relevant for classification:	
ATE (Acute T	oxicity Estimates)	
Oral	LD50	2,450 mg/kg	
	•	(Contd. on pag	ge 8)

- GB



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

Trade name: TENSACID CU

(Contd. of page 7)

CAS: 7664-38-2 phosphoric acid

 Oral
 LD50
 1,530 mg/kg (rat)

 Dermal
 LD50
 2,740 mg/kg (rabbit)

• Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

[.] 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

 12.1 Toxicity Aquatic toxicity: 12.2 Persistence and 	No further relevant information available.
degradability	The dispersing agent used, is easily eliminable from water. The contained surfactants are easily biodegradable
· 12.3 Bioaccumulative	
potential	No further relevant information available.
· 12.4 Mobility in soil	No further relevant information available.
 12.5 Results of PBT and vPv 	B assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
 12.6 Endocrine disrupting 	
properties	The product does not contain substances with endocrine disrupting properties.
 12.7 Other adverse effects 	
• Additional ecological inform	ation:
· General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
	Must not reach sewage water or drainage ditch undiluted or unneutralised.
	The surfactants ingredients of the product are biodegradable according to the requirements of regulation 648/2004/EC.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

GB



Printing date 25.01.2024

Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

Trade name: TENSACID CU

(Contd. of page 8)

	Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.	
14 Transport information		
• 14.2 UN proper shipping name		
· ADR	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION)	
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION)	
· Class	8 Corrosive substances.	
· Label	8	
· ADR, IMDG, IATA	<i>III</i>	
 14.5 Environmental hazards: 		
· Marine pollutant:	No	
 14.6 Special precautions for us 		
 Hazard identification number (
· EMS Number:	F-A, S-B	
· Segregation groups	(SGG1) Acids	
Stowage Category	A	
· Stowage Code	SW2 Clear of living quarters.	
 14.7 Maritime transport in bulk 	according to	
IMO instruments	Not applicable.	
 Limited quantities (LQ) 	5L	
 Excepted quantities (EQ) 	Code: E1	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
 Transport category 	3	
 Tunnel restriction code 	E	
 Limited quantities (LQ) 	5L	
• Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION), 8, III	

(Contd. on page 10)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

(Contd. of page 9)

· 15.1 Safety, health and envir	ronmental regulatio	ns/legislation specific for the substance or	
mixture	.		
· Poisons Act			
· Regulated explosives precu	rsors		
CAS: 7664-38-2 phosphoric a	cid	30	
Regulated poisons			
None of the ingredients is liste	d.		
· Reportable explosives precu	irsors		
None of the ingredients is liste	d.		
· Reportable poisons			
None of the ingredients is liste	d.		
· Labelling according to			
Regulation (EC) No 1272/200		assified and labelled according to the GB C	
	regulation.		
· Hazard pictograms	F		
	<u>ت</u> ب		
	GHS05		
· Signal word	Danger		
j			
· Hazard-determining			
components of labelling:	phosphoric acid		
	alkylether carboxy		
· Hazard statements		tris(phosphonic acid) ere skin burns and eye damage.	
· Precautionary statements	P260	Do not breathe dusts or mists.	
i recautionary statements	P280	Wear protective gloves/protective clothing/	
	. 200	protection/face protection/hearing protection.	
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately	
		contaminated clothing. Rinse skin with water	
		shower].	
	r305+r351+r338	IF IN EYES: Rinse cautiously with water several minutes. Remove contact lenses	
		present and easy to do. Continue rinsing.	
	P310	Immediately call a POISON CENTER/doctor.	
	P321	Specific treatment (see on this label).	
	P405	Store locked up.	
	P501	Dispose of contents/container in accordar	
	1 001	with local/regional/national/international/	
		(Contd. on page	



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00)

Revision: 25.01.2024

	(Contd. of page 10
· Directive 2012/18/EU	
· Named dangerous	
substances - ANNEX I	None of the ingredients is listed.
· 15.2 Chemical safety	None of the ingredients is listed.
assessment:	A Chemical Safety Assessment has not been carried out.
6 Other information	
This information is based or	o our present knowledge. However, this shall not constitute a guarante
	ures and shall not establish a legally valid contractual relationship.
[.] Relevant phrases	H302 Harmful if swallowed.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H319 Causes serious eye unitage. H319 Causes serious eye irritation.
· Contact:	
Comaci:	Wim Lampaert
	MSc Chemistry
· Abbreviations and acronyl	ms: ADR: Accord relatif au transport international des marchandises dangereuses pa route (European Agreement Concerning the International Carriage of Dangerou Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal concentration, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	ATE: Acute toxicity estimate values
	Acute Tox. 4: Acute toxicity – Category 4
	Skin Corr. 1A: Skin corrosion/irritation – Category 1A
	Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1
• * Data compared to the	
previous version altered.	