

Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

### 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

TENSACLEAN DES · Trade name:

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Biocide

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

> Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number:

+44 700 393 7989

België / Belgique: Antigifcentrum / Centre Antipoison: +32 70 245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05 GHS09

(Contd. on page 2)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

(Contd. of page 1)

· **Signal word** Danger

· Hazard-determining

components of labelling: Isotridecanol, ethoxylated 9EO

didecyldimethylammonium chloride

· **Hazard statements** H318 Causes serious eye damage.

P310

H410 Very toxic to aquatic life with long lasting effects.

• **Precautionary statements** P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

#### 3 Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 69011-36-5 Reg.nr.: 01-2119976362-32- XXXX	Isotridecanol, ethoxylated 9EO  Eye Dam. 1, H318;   Acute Tox. 4, H302	≥3–≤10%
CAS: 7173-51-5 EINECS: 230-525-2	didecyldimethylammonium chloride  Skin Corr. 1B, H314;   Acute Tox. 4, H302	≥2.5–<5%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol	≤2.5%
CAS: 497-19-8 EINECS: 207-838-8	sodium carbonate	≤2.5%
· Additional information:	For the wording of the listed hazard phrases refer to see	ction 16.

### 4 First aid measures

· 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

(Contd. of page 2)

· After skin contact: If skin irritation continues, consult a doctor.

Rinse opened eye for several minutes under running water. Then · After eye contact:

consult a doctor.

Rinse out mouth and then drink plenty of water. · After swallowing:

· 4.2 Most important symptoms and effects, both acute and

Eye contact: lesions, irritations, pain, tearing, redness. delayed

Ingestion: burns, irritation, pain.

· 4.3 Indication of any immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

#### 5 Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or

alcohol resistant foam.

· 5.2 Special hazards arising from the substance or

mixture

Formation of toxic gases is possible during heating or in case of

fire.

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device. · Additional information Cool endangered receptacles with water spray.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course

or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

(Contd. on page 4)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

(Contd. of page 3)

· 6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· 7.1 Precautions for safe

handling No special precautions are necessary if used correctly.

· Information about fire - and

**explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol (≤2.5%)

WEL (Great Britain) Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection: Use suitable respiratory protective device only when aerosol or

mist is formed. Filter ABEK-P3

(Contd. on page 5)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

· Hand protection

(Contd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.19 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following

materials are suitable:

Nitrile rubber, NBR

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

· Eye/face protection

Nitrile rubber, NBR



Tightly sealed goggles

· Body protection: Impervious protective clothing

#### 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state

· Colour: According to product specification

· Odour: Characteristic · Odour threshold: Not determined. Undetermined. · Melting point/freezing point:

· Boiling point or initial boiling point and

100 °C boiling range

Not applicable. · Flammability

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

(Contd. on page 6)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

(Contd. of page 5)

· Flash point: 23 - 60 °C

· Decomposition temperature (SADT): Not determined.

· pH at 20 °C 12

· Viscosity:

Kinematic viscosityDynamic at 20 °C:Not determined.22 mPas

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Void

Void

· Solvent content:

· Oxidising solids

· Organic peroxides

· Organic solvents: 1.8 %
 · VOC (EC) 1.80 %

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives Void Void · Flammable gases Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Void · Pyrophoric solids · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void

(Contd. on page 7)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

(Contd. of page 6)

Corrosive to metalsDesensitised explosivesVoid

### 10 Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available. • **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous

**decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for

classification: LD50 (rat) = 4750 mg/kg

### ATE (Acute Toxicity Estimates)

Oral LD50 >2,570-4,565 mg/kg (rat)

- · Serious eye damage/irritation Causes serious eye damage.
- · 11.2 Information on other hazards

### · Endocrine disrupting properties

None of the ingredients is listed.

### 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

(Contd. on page 8)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

(Contd. of page 7)

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Water

Water hazard class 2 (German Regulation) (Self-assessment):

hazardous for water

Do not allow product to reach ground water, water course or

sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Danger to drinking water if even small quantities leak into the

ground.

Also poisonous for fish and plankton in water bodies.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### 13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

· Recommended cleansing

agents:

Water, if necessary together with cleansing agents.

### 14 Transport information

· 14.2 UN proper shipping name

· ADR UN1760 CORROSIVE LIQUID, N.O.S.

(didecyldimethylammonium chloride),

**ENVIRONMENTALLY HAZARDOUS** 

· IMDG CORROSIVE LIQUID, N.O.S.

(didecyldimethylammonium chloride), MARINE

**POLLUTANT** 

·IATA CORROSIVE LIQUID, N.O.S.

(didecyldimethylammonium chloride)

(Contd. on page 9)



Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Trade name: TENSACLEAN DES

(Contd. of page 8)

Revision: 25.01.2024

· Class 8 Corrosive substances.

· **Label** 8 · **ADR** ||||

· 14.5 Environmental hazards:

· Marine pollutant: Yes

Symbol (fish and tree)

· Special marking (ADR): Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Corrosive substances.

· Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

Limited quantities (LQ)Excepted quantities (EQ)Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category 3 · Tunnel restriction code E

· UN "Model Regulation": UN 1760 CORROSIVE LIQUID, N.O.S.

(DIDECYLDIMETHYLAMMONIUM CHLORIDE), 8,

III, ENVIRONMENTALLY HAZARDOUS

### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05 GHS09

(Contd. on page 10)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

(Contd. of page 9)

· Signal word Danger

· Hazard-determining

components of labelling: Isotridecanol, ethoxylated 9EO

didecyldimethylammonium chloride

· Hazard statements H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

P273 Avoid release to the environment. · Precautionary statements

> P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· Directive 2012/18/EU

· Named dangerous

substances - ANNEX I None of the ingredients is listed.

E1 Hazardous to the Aquatic Environment · Seveso category

· Qualifying quantity (tonnes) for the application of lower-

tier requirements

Qualifying quantity (tonnes)

for the application of upper-

tier requirements

200 t

100 t

· National regulations:

· Information about limitation of use:

<u> </u>			~ .
Class	Shar	<u>e</u> gn	%

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

(Contd. on page 11)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSACLEAN DES

(Contd. of page 10)

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 1

\* Data compared to the previous version altered.

- GB