Revision: 25.01.2024



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 3.06 (replaces version 3.05)

## 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

TENSACLEAN R100 · Trade name:

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Cleaning agent for food processing industries

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

> Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number:

België / Belgique: Antigifcentrum / Centre Antipoison: +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

+44 700 393 7989

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word

Warning

(Contd. on page 2)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 1)

· Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/

attention.

P362+P364 Take off contaminated clothing and wash it

before reuse.

P337+P313 If eye irritation persists: Get medical advice/

attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

| CAS: 111-76-2   | 2-butoxyethanol  | ≥2.5–<10% |
|---|--|-----------|
| EINECS: 203-905-0<br>Reg.nr.: 01-2119475108-36-<br>XXXX                   | Acute Tox. 3, H311; Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/ 4h inhalative: 3 mg/l  |           |
| CAS: 6834-92-0<br>EINECS: 229-912-9                                       | disodium metasilicate  Skin Corr. 1B, H314; Acute Tox. 4, H302; STOT SE 3, H335  | ≥1–≤2.5%  |
| CAS: 1310-58-3<br>EINECS: 215-181-3<br>Reg.nr.: 01-2119487136-33-<br>XXXX | potassium hydroxide  Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5$ % Skin Corr. 1B; H314: $2 \% \le C < 5 \%$ Skin Irrit. 2; H315: $0.5 \% \le C < 2 \%$ Eye Irrit. 2; H319: $0.5 \% \le C < 2 \%$ | ≥0.5-<2%  |

### 4 First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 2)

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water. If

symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and

delayed Eye contact: lesions, irritations, pain, tearing, redness.

Ingestion: burns, irritation, pain.

· 4.3 Indication of any immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

## 5 Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing

agents:

· 5.2 Special hazards arising

from the substance or

mixture

· 5.3 Advice for firefighters

· Protective equipment: No s

No further relevant information available.

No special measures required.

#### 6 Accidental release measures

 6.1 Personal precautions, protective equipment and

emergency procedures

Not required.

· 6.2 Environmental

precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

Use fire extinguishing methods suitable to surrounding conditions.

See Section 13 for disposal information.

4V



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 3)

### 7 Handling and storage

· 7.1 Precautions for safe

handling No special precautions are necessary if used correctly.

· Information about fire - and

**explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· 8.1 Control parameters

| · Ingredients with limit values that require monitoring at the workplace: |                                     |  |  |  |  |
|---|-------------------------------------|--|--|--|--|
| CAS: 111-76-2 2-butoxyethanol (≥2.5–<10%)                                 |                                     |  |  |  |  |
| WEL (Great Britain)   | Short-term value: 246 mg/m³, 50 ppm |  |  |  |  |
|   | Long-term value: 123 mg/m³, 25 ppm  |  |  |  |  |
|   | Sk, BMGV                            |  |  |  |  |
| IOELV (EU)  | Short-term value: 246 mg/m³, 50 ppm |  |  |  |  |
|   | Long-term value: 98 mg/m³, 20 ppm   |  |  |  |  |
|   | Skin                                |  |  |  |  |
| CAS: 1310-58-3 potassium hydroxide (≥0.5–<2%)                             |                                     |  |  |  |  |
| WEL (Great Britain)   | Short-term value: 2 mg/m³           |  |  |  |  |
| · Ingredients with biological limit values:                               |                                     |  |  |  |  |
| CAS: 111-76-2 2-butoxyethanol (≥2.5–<10%)                                 |                                     |  |  |  |  |
| BMGV (Great Britain)   240 mmol/mol creatinine                            |                                     |  |  |  |  |
|   | Medium: urine                       |  |  |  |  |
|   | Sampling time: post shift           |  |  |  |  |
|   | Parameter: butoxyacetic acid        |  |  |  |  |

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls · Appropriate engineering

**controls** No further data; see section 7.

(Contd. on page 5)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 4)

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: Not required.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant

to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye/face protection



Tightly sealed goggles

### 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.

· Auto-ignition temperature: 240 °C

(Contd. on page 6)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 5)

· Decomposition temperature (SADT): Not determined.

· pH at 20 °C 1

Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

Organic solvents: 5.0 %
 VOC (EC) 5.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void Void · Pyrophoric liquids · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Void

(Contd. on page 7)



Version number 3.06 (replaces version 3.05) Revision: 25.01.2024 Printing date 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 6) Void

· Desensitised explosives

## 10 Stability and reactivity

No further relevant information available. · 10.1 Reactivity

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available. No further relevant information available. · 10.5 Incompatible materials:

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

|   | · LD/LC50  | values rele | evant for classification: |  |
|---|------------|-------------|---------------------------|--|
| Ī | CAS: 111   | -76-2 2-bu  | toxyethanol               |  |
|   | Oral       | LD50        | 1,200 mg/kg (ATE)         |  |
|   |            |             | 1,480 mg/kg (rat)         |  |
|   | Dermal     | LD50        | 400 mg/kg (rab)           |  |
|   | Inhalative | LC50/ 4h    | 3 mg/l (ATE)              |  |

Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye irritation.
- · 11.2 Information on other hazards

## · Endocrine disrupting properties

None of the ingredients is listed.

## 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

No further relevant information available. potential · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable.

(Contd. on page 8)



Version number 3.06 (replaces version 3.05) Revision: 25.01.2024 Printing date 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 7)

· vPvB:

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

Not applicable.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Water hazard class 1 (German Regulation) (Self-assessment):

slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach

ground water, water course or sewage system.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

## 13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

### 14 Transport information

· 14.5 Environmental hazards: Not applicable.

Void · ADN Void · ADR Void · ADN, IMDG, IATA · Class Void · ADR, IMDG, IATA Void · Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· UN "Model Regulation": Void



Printing date 25.01.2024

Version number 3.06 (replaces version 3.05)

Trade name: TENSACLEAN R100

(Contd. of page 8)

Revision: 25.01.2024

## 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

CAS: 1310-58-3 potassium hydroxide

17% of total caustic alkalinity

Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/

attention.

P362+P364 Take off contaminated clothing and wash it

before reuse.

P337+P313 If eye irritation persists: Get medical advice/

attention.

Directive 2012/18/EU

· Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 10)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 9)

· National regulations:

· Information about limitation of use:

|      |      |         | ~ . |
|------|------|---------|-----|
| Clas | s Sr | nare yn | %   |

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport

Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation"

(ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

(Contd. on page 11)

Page 11/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 3.06 (replaces version 3.05)

Revision: 25.01.2024

Trade name: TENSACLEAN R100

(Contd. of page 10)

\* \* Data compared to the previous version altered.

GB