Revision: 25.01.2024



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 3.06 (replaces version 3.05)

## 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

TENSACLEAN WINDOW · Trade name:

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Cleaning agent for food processing industries

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

> Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number:

België / Belgique: Antigifcentrum / Centre Antipoison: +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

+44 700 393 7989

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02 GHS07

· Signal word Warning

(Contd. on page 2)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN WINDOW

(Contd. of page 1)

· **Hazard statements** H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

• Precautionary statements P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol	≥2.5–<10%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36- XXXX	2-butoxyethanol Acute Tox. 3, H311; Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/ 4h inhalative: 3 mg/l	≥2.5–<10%
· Additional information:	For the wording of the listed hazard phrases refer to si	ection 16

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

· 4.1 Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water. If

symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and

delayed Eye contact: lesions, irritations, pain, tearing, redness.

(Contd. on page 3)



Revision: 25.01.2024 Version number 3.06 (replaces version 3.05) Printing date 25.01.2024

Trade name: TENSACLEAN WINDOW

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

### 5 Firefighting measures

· 5.1 Extinguishing media Suitable extinguishing

agents:

CO2, powder or water spray. Fight larger fires with water spray or

alcohol resistant foam.

· 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment:

No special measures required.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental

precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· 7.1 Precautions for safe

handling Keep receptacles tightly sealed.

Work only in fume cupboard.

· Information about fire - and

explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN WINDOW

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
CAS: 67-63-0 propan-2-ol (≥2.5–<10%)			
WEL (Great Britain)	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm		
CAS: 111-76-2 2-butoxyethanol (≥2.5–<10%)			
WEL (Great Britain)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV		
IOELV (EU)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin		

### · Ingredients with biological limit values:

### CAS: 111-76-2 2-butoxyethanol (≥2.5-<10%)

BMGV (Great Britain) 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

 $\cdot$  Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: Not required.

(Contd. on page 5)



Printing date 25.01.2024

Version number 3.06 (replaces version 3.05)

Trade name: TENSACLEAN WINDOW

· Hand protection

(Contd. of page 4)

Revision: 25.01.2024



## Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.19 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

#### 9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and

boiling range >80 °C
Flammability Flammable.

· Lower and upper explosion limit

 · Lower:
 1.1 Vol %

 · Upper:
 12 Vol %

 · Flash point:
 23 - 60 °C

 · Auto-ignition temperature:
 240 °C

Decomposition temperature (SADT): Not determined.

· pH at 20 °C 6–8

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

(Contd. on page 6)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN WINDOW

(Contd. of page 5)

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C: 0.99 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid · Important information on protection of health

and environment, and on safety.

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· Organic solvents: 10.0 %
 · VOC (EC) 10.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives
Flammable gases
Aerosols
Oxidising gases
Gases under pressure

Void
Void
Void

· Flammable liquids Flammable liquid and vapour.

Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives
Void



Version number 3.06 (replaces version 3.05) Revision: 25.01.2024 Printing date 25.01.2024

Trade name: TENSACLEAN WINDOW

(Contd. of page 6)

### 10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available. No further relevant information available. · 10.5 Incompatible materials:

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data, the classification criteria are not met. · Acute toxicity

· LD/LC50	· LD/LC50 values relevant for classification:		
ATE (Acu	ATE (Acute Toxicity Estimates)		
Oral	LD50	24,000 mg/kg (rat)	
Dermal	LD50	8,000 mg/kg (rab)	
Inhalative	LC50/ 4h	60 mg/l	

CAS: 111-76-2 2-butoxyethanol		
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/ 4h	3 mg/l (ATE)

- · Serious eye damage/irritation Causes serious eye irritation.
- · 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients is listed.

#### 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN WINDOW

(Contd. of page 7)

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Water hazard class 1 (German Regulation) (Self-assessment):

slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach

ground water, water course or sewage system.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

### 13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

## 14 Transport information

14.2 UN proper shipping name

· ADR UN1987 ALCOHOLS, N.O.S. (ISOPROPANOL

(ISOPROPYL ALCOHOL))

· IMDG, IATA ALCOHOLS, N.O.S. (ISOPROPANOL

(ISOPROPYL ALCOHOL))

· Class 3 Flammable liquids.

· Label 3 · ADR, IMDG, IATA |||

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Flammable liquids.

· Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-D · Stowage Category A

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

(Contd. on page 9)



Printing date 25.01.2024

Version number 3.06 (replaces version 3.05)

Trade name: TENSACLEAN WINDOW

(Contd. of page 8)

Revision: 25.01.2024

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category · Tunnel restriction code D/E · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 1987 ALCOHOLS, N.O.S. (ISOPROPANOL

(ISOPROPYL ALCOHOL)), 3, III

### 15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02 GHS07

· Signal word Warning

· Hazard statements H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

· Precautionary statements P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P280 Wear protective gloves / eye protection. IF ON SKIN: Wash with plenty of water. P302+P352

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 10)



Printing date 25.01.2024 Version number 3.06 (replaces version 3.05) Revision: 25.01.2024

Trade name: TENSACLEAN WINDOW

(Contd. of page 9)

· Directive 2012/18/EU

· Named dangerous

substances - ANNEX I None of the ingredients is listed.
Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-

tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-

tier requirements 50,000 t

· National regulations:

· Information about limitation of use:

Class Share in %

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport

Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation"

(ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 11)

Page 11/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 3.06 (replaces version 3.05)

Trade name: TENSACLEAN WINDOW

(Contd. of page 10)

Revision: 25.01.2024

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

GB