

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** TENSAFLOOR

· **Article number:** 99980000677

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC35 Washing and cleaning products (including solvent based products)

· Application of the substance / the mixture

Floor cleaner

Cleaning agent for food processing industries

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Tensio
Doornpark 36
9120 Beveren
Belgium
Tel.: +32 3 755 48 74
Fax.: +32 3 755 51 55
e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone number:

België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245 245

Nederland: Nationaal Vergiftigingen Informatie Centrum : +31 30 274 88 88

+44 700 393 7989

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

2 Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

(Contd. of page 1)

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to**

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05 GHS07

· **Signal word**

Danger

· **Hazard-determining**

components of labelling:

tetrasodium ethylenediaminetetraacetate

potassium hydroxide

n-alkyl-N,N-dimethyl-N-benzylammonium chloriden

· **Hazard statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P260 Do not breathe dusts or mists.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

3 Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** *Mixture of substances listed below with nonhazardous additions.*

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: **TENSAFLOOR**

(Contd. of page 2)

Dangerous components:

| | | |
|---|---|----------|
| | cationic surfactant Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 1, H410; Acute Tox. 4, H302 | ≥1–<2.5% |
| CAS: 64-02-8 EINECS: 200-573-9 Reg.nr.: 01-2119486762-27-XXXX | tetrasodium ethylenediaminetetraacetate Eye Dam. 1, H318; Acute Tox. 4, H302 | ≥3–≤10% |
| CAS: 1310-58-3 EINECS: 215-181-3 Reg.nr.: 01-2119487136-33-XXXX | potassium hydroxide Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % | ≥2.5–<5% |
| CAS: 68551-13-3 | Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether Eye Irrit. 2, H319 | ≤2.5% |

Additional information:

For the wording of the listed hazard phrases refer to section 16.

4 First aid measures**4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Inhalation: malaise, dizziness

Ingestion: burns, irritation, pain.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

(Contd. of page 3)

- **4.3 Indication of any immediate medical attention and special treatment needed** *Treat symptomatically. An eyewash is recommended in the immediate work area.*

5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.*
- **5.2 Special hazards arising from the substance or mixture** *During heating or in case of fire poisonous gases are produced.*
- **5.3 Advice for firefighters**
- **Protective equipment:** *Mouth respiratory protective device.*

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** *Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.*
- **6.2 Environmental precautions:** *Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.*
- **6.3 Methods and material for containment and cleaning up:** *Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.*
- **6.4 Reference to other sections** *See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*

7 Handling and storage

- **7.1 Precautions for safe handling** *Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.*

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

(Contd. of page 4)

- **Information about fire - and explosion protection:** *Keep respiratory protective device available.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *Store in a cool location.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:** *Keep container tightly sealed.*
- **7.3 Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 1310-58-3 potassium hydroxide (≥2.5–<5%)

WEL (Great Britain) Short-term value: 2 mg/m³

· **Additional information:** *The lists valid during the making were used as basis.*

· **8.2 Exposure controls**

· **Appropriate engineering controls**

No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

*Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.*

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

(Contd. of page 5)

- **Penetration time of glove material** application.
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed goggles

* **9 Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

- **Physical state** Fluid
- **Colour:** According to product specification
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** 100 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** Not applicable.
- **Auto-ignition temperature:** 571 °C
- **Decomposition temperature (SADT):** Not determined.
- **pH at 20 °C** >11.5
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **Dynamic:** Not determined.
- **Solubility**
- **water:** Fully miscible.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure at 20 °C:** 23 hPa
- **Density and/or relative density**
- **Density at 20 °C:** 1.083 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.

· **9.2 Other information**

- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

(Contd. of page 6)

| | |
|--|---|
| · Explosive properties: | Product does not present an explosion hazard. |
| · Solvent content: | |
| · VOC (EC) | 0.00 % |
| · Change in condition | |
| · Evaporation rate | Not determined. |
| · Information with regard to physical hazard classes | |
| · Explosives | Void |
| · Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| · Flammable liquids | Void |
| · Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

10 Stability and reactivity

| | |
|--|---|
| · 10.1 Reactivity | No further relevant information available. |
| · 10.2 Chemical stability | |
| · Thermal decomposition / conditions to be avoided: | No decomposition if used according to specifications. |
| · 10.3 Possibility of hazardous reactions | No dangerous reactions known. |
| · 10.4 Conditions to avoid | No further relevant information available. |
| · 10.5 Incompatible materials: | No further relevant information available. |
| · 10.6 Hazardous decomposition products: | No dangerous decomposition products known. |

11 Toxicological information

| | |
|--|-----------------------|
| · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 | |
| · Acute toxicity | Harmful if swallowed. |

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

(Contd. of page 7)

· **LD/LC50 values relevant for classification:**

| | | |
|------|------|-------------------|
| Oral | LD50 | 1,200 mg/kg (rat) |
|------|------|-------------------|

· **Skin corrosion/irritation** Causes severe skin burns and eye damage.

· **Serious eye damage/irritation** Causes serious eye damage.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

* **12 Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability**

No further relevant information available.

· **12.3 Bioaccumulative potential**

No further relevant information available.

· **12.4 Mobility in soil**

No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:** Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

The surfactants ingredients of the product are biodegradable according to the requirements of regulation 648/2004/EC.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

GB

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

(Contd. of page 8)

13 Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** *Must not be disposed together with household garbage. Do not allow product to reach sewage system.*

· **Uncleaned packaging:**

· **Recommendation:** *Disposal must be made according to official regulations.*

· **Recommended cleansing agents:**

Water, if necessary together with cleansing agents.

14 Transport information

· **14.2 UN proper shipping name**

· **ADR** *UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE)*
 · **IMDG, IATA** *CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE)*

· **Class** *8 Corrosive substances.*

· **Label** *8*

· **ADR, IMDG, IATA** *II*

· **14.5 Environmental hazards:**

· **Marine pollutant:** *No*

· **14.6 Special precautions for user** *Warning: Corrosive substances.*

· **Hazard identification number (Kemler code):** *80*

· **EMS Number:** *F-A,S-B*

· **Segregation groups** *(SGG18) Alkalis*

· **Stowage Category** *B*

· **Stowage Code** *SW2 Clear of living quarters.*

· **Segregation Code** *SG35 Stow "separated from" SGG1-acids*

· **14.7 Maritime transport in bulk according to IMO instruments** *Not applicable.*

· **Limited quantities (LQ)** *1L*

· **Excepted quantities (EQ)** *Code: E2*
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· **Transport category** *2*

· **Tunnel restriction code** *E*

· **Limited quantities (LQ)** *1L*

· **Excepted quantities (EQ)** *Code: E2*
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

· **UN "Model Regulation":**

(Contd. of page 9)
UN 3266 CORROSIVE LIQUID, BASIC,
INORGANIC, N.O.S. (POTASSIUM HYDROXIDE),
8, II

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

| | | |
|----------------|---------------------|---------------------------------|
| CAS: 1310-58-3 | potassium hydroxide | 17% of total caustic alkalinity |
|----------------|---------------------|---------------------------------|

· **Labelling according to**

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05 GHS07

· **Signal word**

Danger

· **Hazard-determining components of labelling:**

tetrasodium ethylenediaminetetraacetate
potassium hydroxide
n-alkyl-N,N-dimethyl-N-benzylammonium chloriden

· **Hazard statements**

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P260 Do not breathe dusts or mists.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.04 (replaces version 2.03)

Revision: 25.01.2024

Trade name: TENSAFLOOR

(Contd. of page 10)

P310 *Immediately call a POISON CENTER/doctor.*
 P321 *Specific treatment (see on this label).*
 P405 *Store locked up.*
 P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I**
- **15.2 Chemical safety assessment:**

None of the ingredients is listed.

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H410 Very toxic to aquatic life with long lasting effects.

· **Contact:**

Wim Lampaert
 MSc Chemistry

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- *** Data compared to the previous version altered.**