

Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

### 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TENSAFOAM INOX

• Article number: 99980000617

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Acidic detergent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number: Belo

België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

+44 700 393 7989

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

Trade name: TENSAFOAM INOX

(Contd. of page 1)

· Hazard pictograms





GHS05 GHS07

· **Signal word** Danger

· Hazard-determining

components of labelling: phosphoric acid

ammonium bifluoride

Isotridecanol, ethoxylated 9EO Alkyl (C10 – C16) dimethylaminoxide

· **Hazard statements** H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

• **Precautionary statements** P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7664-38-2	phosphoric acid	≥10–<25%
EINECS: 231-633-2	♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302	
Reg.nr.: 01-2119485924-24-	Specific concentration limits:	
XXXX	Skin Corr. 1B; H314: C≥ 25 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	

(Contd. on page 3)



Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

Trade name: TENSAFOAM INOX

CAS: 1341-49-7	ammonium bifluoride	2.5–10%
EINECS: 215-676-4	Acute Tox. 3, H301; Skin Corr. 1B, H314 Specific concentration limits: Skin Corr. 1B; H314: C≥ 1 % Skin Irrit. 2; H315: 0.1 % ≤ C < 1 % Eye Irrit. 2; H319: 0.1 % ≤ C < 1 %	
CAS: 69011-36-5 Reg.nr.: 01-2119976362-32- XXXX	Isotridecanol, ethoxylated 9EO  September 2015   Septembe	≥3–≤10%
CAS: 70592-80-2 EINECS: 274-687-2	Alkyl (C10 – C16) dimethylaminoxide	≥1-<2.5%

#### 4 First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing: Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and

delayed Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Inhalation: malaise, dizziness Ingestion: burns, irritation, pain.

· 4.3 Indication of any

immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

### 5 Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing

agents:

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)



Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

Trade name: TENSAFOAM INOX

(Contd. of page 3)

· 5.2 Special hazards arising from the substance or

mixture Under certain fire conditions, traces of other toxic gases cannot be

excluded, e.g.:

Hydrogen fluoride (HF)

During heating or in case of fire poisonous gases are produced.

· 5.3 Advice for firefighters

• **Protective equipment:** Mouth respiratory protective device.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and

**emergency procedures** Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental

precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

**explosion protection:** Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Provide acid-resistant floor.

Unsuitable material for receptacle: glass or ceramic.

Store in a cool location.

· Information about storage in

one common storage facility: Not required.

(Contd. on page 5)



Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

Trade name: TENSAFOAM INOX

(Contd. of page 4)

· Further information about

**storage conditions:** Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7664-38-2 phosphoric acid (≥10–<25%)

WEL (Great Britain) Short-term value: 2 mg/m3

Long-term value: 1 mg/m3

IOELV (EU) Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter

device. In case of intensive or longer exposure use self-contained

respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant

to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)




Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

Trade name: TENSAFOAM INOX

(Contd. of page 5)

· Eye/face protection



#### 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

Colour: Transparent
 Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Decomposition temperature (SADT): Not determined.

· pH at 20 °C <

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Fully miscible.

Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

(Contd. on page 7)



Version number 3.03 (replaces version 3.02) Revision: 25.01.2024 Printing date 25.01.2024

Void

Void Void

Void

Void

Trade name: TENSAFOAM INOX

(Contd. of page 6)

· Information with regard to physical hazard classes

· Explosives · Flammable gases

· Aerosols

· Oxidising gases · Gases under pressure

· Flammable liquids

· Flammable solids · Self-reactive substances and mixtures

· Pyrophoric liquids

· Pyrophoric solids

Self-heating substances and mixtures · Substances and mixtures, which emit

flammable gases in contact with water · Oxidising liquids

· Oxidising solids · Organic peroxides · Corrosive to metals

· Desensitised explosives

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition /

conditions to be avoided: · 10.3 Possibility of hazardous

reactions

No decomposition if used according to specifications.

Reacts with light alloys to form hydrogen.

When diluting, always add acid to water, never vice versa.

Reacts with alkali and metals.

· 10.4 Conditions to avoid · 10.5 Incompatible materials:

No further relevant information available. No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful if swallowed. · Acute toxicity

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >857-1,020 mg/kg

(Contd. on page 8)

(Contd. of page 7)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

Trade name: TENSAFOAM INOX

		(conta. of page 1)
CAS: 7	664-38	-2 phosphoric acid
Oral	LD50	1,530 mg/kg (rat)
		2,740 mg/kg (rabbit)
CAS: 1341-49-7 ammonium bifluoride		
Oral	LD50	100 mg/kg (ATE)

Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Water hazard class 2 (German Regulation) (Self-assessment):

hazardous for water

Do not allow product to reach ground water, water course or

sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Danger to drinking water if even small quantities leak into the

ground.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.



Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

Trade name: TENSAFOAM INOX

(Contd. of page 8)

#### 13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

#### 14 Transport information

· 14.2 UN proper shipping name

· ADR UN3264 CORROSIVE LIQUID, ACIDIC,

INORGANIC, N.O.S. (AMMONIUM HYDROGENDIFLUORIDE, PHOSPHORIC ACID,

SOLUTION)

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC,

N.O.S. (AMMONIUM HYDROGENDIFLUORIDE,

PHOSPHORIC ACID, SOLUTION)

· Class 8 Corrosive substances.

· Label 8 · ADR, IMDG, IATA //

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80
 EMS Number: F-A,S-B
 Segregation groups (SGG1) Acids

· Stowage Category B

· **Stowage Code** SW2 Clear of living quarters.

· 14.7 Maritime transport in bulk according to

**IMO instruments** Not applicable.

· Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Transport category
Tunnel restriction code
Limited quantities (LQ)
Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC,

INORGANIC, N.O.S. (AMMONIUM

(Contd. on page 10)



Printing date 25.01.2024 Version number 3.03 (replaces version 3.02) Revision: 25.01.2024

Trade name: TENSAFOAM INOX

(Contd. of page 9)

HYDROGENDIFLUORIDE, PHOSPHORIC ACID,

SOLUTION), 8, II

### 15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

CAS: 7664-38-2 phosphoric acid

30%

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

CAS: 1341-49-7 ammonium bifluoride

Listed

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

· Hazard pictograms





GHS05 GHS

· **Signal word** Danger

· Hazard-determining

components of labelling: phosphoric acid

ammonium bifluoride

Isotridecanol, ethoxylated 9EO Alkyl (C10 – C16) dimethylaminoxide

· **Hazard statements** H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

• **Precautionary statements** P260 Do not breathe dusts or mists.

P280

Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

(Contd. on page 11)

Page 11/11



### Safety data sheet according to 1907/2006/EC, Article 31

Version number 3.03 (replaces version 3.02) Printing date 25.01.2024 Revision: 25.01.2024

Trade name: TENSAFOAM INOX

(Contd. of page 10)

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· Directive 2012/18/EU Named dangerous

substances - ANNEX I

None of the ingredients is listed. · 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H301 Toxic if swallowed. · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

Wim Lampaert · Contact:

MSc Chemistry

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

· \* Data compared to the previous version altered.