

Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

### 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

TENSAFOAM PAZ · Trade name:

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against

No further relevant information available.

Industrial uses: Uses of substances as such or in · Sector of Use SU3 preparations at industrial sites

PC35 Washing and cleaning products (including solvent based

products)

· Application of the substance

/ the mixture

· Product category

Acidic cleaning product for use in food industry.

Acidic detergent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

> Doornpark 36 9120 Beveren Belaium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number:

+44 700 393 7989

België / Belgique: Antigifcentrum / Centre Antipoison: +32 70 245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### 2 Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Ox. Liq. 2 H272 May intensify fire; oxidiser. Met. Corr.1 H290 May be corrosive to metals. Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. Eye Dam. 1 STOT SE 3 H335 May cause respiratory irritation.

(Contd. on page 2)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 1)

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

.\_\_\_\_\_

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

· Hazard pictograms









GHS03 GHS05 GHS07

· **Signal word** Danger

· **Hazard statements** H272 May intensify fire; oxidiser.

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

• **Precautionary statements** P260 Do not breathe dusts or mists.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

|                                                                           | (C                                                                                                                                                                                                                                                                                                                                                                                            | ontd. of pag |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Dangerous components:                                                     |                                                                                                                                                                                                                                                                                                                                                                                               |              |
| CAS: 64-19-7<br>EINECS: 200-580-7                                         | acetic acid  Flam. Liq. 3, H226; Skin Corr. 1A, H314; Acute Tox. 4, H312 Specific concentration limits: Skin Corr. 1A; H314: C≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %                                                                                                                                            | ≥10-<25      |
| CAS: 7722-84-1<br>EINECS: 231-765-0<br>Reg.nr.: 01-2119485845-22-<br>XXXX | hydrogen peroxide solution  Ox. Liq. 1, H271; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H332  Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70% Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; C ≥ 35 % | ≥5–<8%       |
| EC number: 931-292-6                                                      | Amines, C12-14 (even numbered)-alkyldimethyl, Noxides  Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315                                                                                                                                                                                                                              |              |
| CAS: 79-21-0<br>EINECS: 201-186-8                                         | peracetic acid      Flam. Liq. 3, H226; Org. Perox. D, H242;    Skin Corr. 1A, H314;    Aquatic Acute 1, H400;    Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332  Specific concentration limit:  STOT SE 3; H335: C ≥ 1%                                                                                                                                                          | ≥1–<2.5      |

### 4 First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

· After inhalation: Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for

transportation.

(Contd. on page 4)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 3)

• After skin contact: If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing: Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor

immediately.

 4.2 Most important symptoms and effects, both acute and

delayed Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Inhalation: malaise, dizziness Ingestion: burns, irritation, pain. Danger of gastric perforation.

· 4.3 Indication of any

· Hazards

immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

#### 5 Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing

agents: Water

Water haze

· For safety reasons unsuitable

extinguishing agents: Foam

Extinguishing powder

· 5.2 Special hazards arising

from the substance or

mixture

During heating or in case of fire poisonous gases are produced.

· 5.3 Advice for firefighters

• **Protective equipment:** Mouth respiratory protective device.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course

or sewage system.

(Contd. on page 5)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 4)

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· 7.1 Precautions for safe

handling Keep away from heat and direct sunlight.

Do not seal receptacles gas-tight.

Do not refill residue into storage receptacles. Restrict the quantity stored at the work place. Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

**explosion protection:** Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Provide ventilation for receptacles.

Store in a cool location.

· Information about storage in

one common storage facility: Store away from flammable substances.

· Further information about

**storage conditions:** Protect from contamination.

Store in a cool place. Heat will increase pressure and may lead to

the receptacle bursting.
Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

GB



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 5)

#### 8 Exposure controls/personal protection

· 8.1 Control parameters

| · Ingredients with limit values that require monitoring at the workplace: |                                                                              |  |  |
|---------------------------------------------------------------------------|------------------------------------------------------------------------------|--|--|
| CAS: 64-19-7 acetic acid (≥10–<25%)                                       |                                                                              |  |  |
| WEL (Great Brita                                                          | ain) Short-term value: 50 mg/m³, 20 ppm<br>Long-term value: 25 mg/m³, 10 ppm |  |  |
| IOELV (EU)                                                                | Short-term value: 50 mg/m³, 20 ppm<br>Long-term value: 25 mg/m³, 10 ppm      |  |  |
| CAS: 7722-84-1 hydrogen peroxide solution (≥5–<8%)                        |                                                                              |  |  |
| WEL (Great Brita                                                          | ain) Short-term value: 2.8 mg/m³, 2 ppm<br>Long-term value: 1.4 mg/m³, 1 ppm |  |  |

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Respiratory protection: Use suitable respiratory protective device only when aerosol or

mist is formed.

Short term filter device:

Filter ABEK-P3

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained

respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

(Contd. on page 7)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 6)

Penetration time of glove

material The exact break trough time has to be found out by the

· Eye/face protection

manufacturer of the protective gloves and has to be observed.

Tightly sealed goggles

### 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Colourless
Characteristic
Not determined.

Undetermined.

· Boiling point or initial boiling point and

boiling range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 4 Vol %
 Upper: 17 Vol %
 Flash point: 23 - 60 °C
 Auto-ignition temperature: 485 °C

• **Decomposition temperature (SADT):**• **pH**Not determined.
Not determined.

· Viscosity:

· Kinematic viscosity
· Dynamic:

Not determined.

Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C: 1.05 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

(Contd. on page 8)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 7)

· Solvent content:

• Organic solvents: 19.0 % • VOC (EC) 19.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water

· Oxidising liquids May intensify fire; oxidiser.

Void

Oxidising solidsOrganic peroxidesVoid

• Corrosive to metals May be corrosive to metals.

Desensitised explosives Void

#### 10 Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

**reactions** No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available. • **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous

decomposition products: Oxygen

### 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if swallowed.

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 9)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 8)

· STOT-single exposure

May cause respiratory irritation.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Water hazard class 2 (German Regulation) (Self-assessment):

hazardous for water

Do not allow product to reach ground water, water course or

sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Danger to drinking water if even small quantities leak into the

ground.

Also poisonous for fish and plankton in water bodies.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

### 13 Disposal considerations

· 13.1 Waste treatment methods

• **Recommendation** Contact manufacturer for recycling information.

Can be reused after reprocessing.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local

Authority requirements.

(Contd. on page 10)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 9)

Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

Uncleaned packaging:

· Recommendation: Packaging may be reused or recycled after cleaning.

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

### 14 Transport information

· 14.2 UN proper shipping name

· ADR UN3149 HYDROGEN PEROXIDE AND

PEROXYACETIC ACID MIXTURE, STABILIZED,

**ENVIRONMENTALLY HAZARDOUS** 

· IMDG, IATA HYDROGEN PEROXIDE AND PEROXYACETIC

ACID MIXTURE, STABILIZED

· Class 5.1 Oxidising substances.

· **Label** 5.1+8

· Class 5.1 Oxidising substances.

· Label 5.1

· Class 5.1 Oxidising substances.

 · Label
 5.1 (8)

 · ADR
 ||

 · IMDG, IATA
 ||

· 14.5 Environmental hazards:

· Marine pollutant: No

· Special marking (ADR): Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Oxidising substances.

· Hazard identification number (Kemler code): -

· **EMS Number:** F-H,S-Q

· Segregation groups (SGG16) Peroxides

· Stowage Category D

Stowage Code
 SW1 Protected from sources of heat.
 Segregation Code
 SG16 Stow "separated from" class 4.1

SG59 Stow "separated from" SGG14-

permanganates SG72 See 7.2.6.3.2.

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Transport category 2

(Contd. on page 11)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 10)

· Tunnel restriction code

UN "Model Regulation":

Ε

UN 3149 HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED, 5.1 (8), II, ENVIRONMENTALLY HAZARDOUS

#### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

| Regulated | explosives | precursors |
|-----------|------------|------------|
|           |            |            |

CAS: 7722-84-1 hydrogen peroxide solution

12%

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms









· Signal word Danger

· Hazard statements H272 May intensify fire; oxidiser. H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Do not breathe dusts or mists. · Precautionary statements P260

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 12)



Printing date 25.01.2024 Version number 2.02 (replaces version 2.01) Revision: 25.01.2024

Trade name: TENSAFOAM PAZ

(Contd. of page 11)

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· Directive 2012/18/EU

· Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

Seveso category P8 OXIDISING LIQUIDS AND SOLIDS

E1 Hazardous to the Aquatic Environment

• Qualifying quantity (tonnes) for the application of lower-

tier requirements

50 t

 Qualifying quantity (tonnes) for the application of upper-

tier requirements 200 t

· National regulations:

· Information about limitation of use:

Class Share in %

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases H226 Flammable liquid and vapour.

H242 Heating may cause a fire.

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Contact: Wim Lampaert

MSc Chemistry

(Contd. on page 13)

Page 13/13



### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 2.02 (replaces version 2.01)

Trade name: TENSAFOAM PAZ

(Contd. of page 12)

Revision: 25.01.2024

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Lig. 3: Flammable liquids - Category 3 Ox. Liq. 1: Oxidizing liquids - Category 1 Ox. Liq. 2: Oxidizing liquids - Category 2 Org. Perox. D: Organic peroxides - Type C/D Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 2

<sup>· \*</sup> Data compared to the previous version altered.