

Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TENSAFOAM SFO

• Article number: 99980003927

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

• Sector of Use SU3 Industrial uses: Uses of substances as such or in

preparations at industrial sites

Product category PC35 Washing and cleaning products (including solvent based

products)

· Application of the substance

/ the mixture Alcaline cleaning product for use in food industry.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information

obtainable from: Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number:

België / Belgique: Antigifcentrum / Centre Antipoison: +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

+44 700 393 7989

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

(Contd. of page 1)

· Hazard pictograms

CHOOS

· **Signal word** Danger

· Hazard-determining

components of labelling: sodium hydroxide

Alkyl (C10 - C16) dimethylaminoxide

Hazard statements
 Precautionary statements
 H314 Causes severe skin burns and eye damage.
 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol  September 2-(2-butoxyethoxy)ethanol	25–50%
	10	contd on nogo 3

(Contd. on page 3)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

	(0	Contd. of page 2)
CAS: 90170-43-7 Reg.nr.: 01-2119976233-35-	ß -Alanine, N-(2-carboxyethyl), N-coco alkyl derivative	≥2.5–<10%
XXXX	🕩 Eye Irrit. 2, H319	
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27- XXXX	sodium hydroxide  Skin Corr. 1A, H314;  Acute Tox. 4, H302  Specific concentration limits:  Skin Corr. 1A; H314: C≥ 5 %  Skin Corr. 1B; H314: 2 % ≤ C < 5 %  Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %  Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥2-≤2.5%
CAS: 70592-80-2 EINECS: 274-687-2	Alkyl (C10 – C16) dimethylaminoxide  Eye Dam. 1, H318;  Aquatic Acute 1, H400; Skin Irrit. 2, H315	≥1–<2.5%
· Additional information:	For the wording of the listed hazard phrases refer to se	ection 16.

#### 4 First aid measures

· 4.1 Description of first aid measures

• **General information:** Immediately remove any clothing soiled by the product. Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing: If symptoms persist consult doctor.

 4.2 Most important symptoms and effects, both acute and

**delayed** Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Inhalation: malaise, dizziness Ingestion: burns, irritation, pain.

· 4.3 Indication of any

immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

#### 5 Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing

agents:

· 5.2 Special hazards arising

from the substance or

mixture During

Use fire extinguishing methods suitable to surrounding conditions.

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

(Contd. of page 3)

· 5.3 Advice for firefighters

· **Protective equipment:** Mouth respiratory protective device.

#### 6 Accidental release measures

 6.1 Personal precautions, protective equipment and

emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental

precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

· 7.1 Precautions for safe

**handling** Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

**explosion protection:** Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

GB



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

(Contd. of page 4)

#### 8 Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
CAS: 112-34-5 2-(2-butoxyethoxy)ethanol (25–50%)		
WEL (Great Britain)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm	
IOELV (EU)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm	
CAS: 1310-73-2 sodium hydroxide (≥2–≤2.5%)		
WEL (Great Britain)	Short-term value: 2 mg/m³	

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter

device. In case of intensive or longer exposure use self-contained

respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant

to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves** Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

For the mixture of chemicals mentioned in header 3 the penetration time has to be at least 30 minutes (Permeation according to EN

374 Part 3: Level 2).

(Contd. on page 6)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

(Contd. of page 5)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

Body protection: Solvent resistant protective clothing Alkaline resistant protective clothing

#### 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 0.9 Vol %
Upper: 5.9 Vol %
Flash point: Not applicable
Auto-ignition temperature: 225 °C

· Decomposition temperature (SADT): Not determined.

· pH at 20 °C >11

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

(Contd. on page 7)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

(Contd. of page 6)

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: 50.0 %

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Void

Void

Void

Void

### 10 Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

**reactions** No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

**decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

				(Contd. of page 7
· LD/LC5	0 valu	es relevant fo	r classification:	
ATE (A	cute T	oxicity Estima	ites)	
Oral	LD50	80,000 mg/kg	(rat)	
CAS: 11	12-34-	5 2-(2-butoxye	thoxy)ethanol	
Oral	LD50	5,660 mg/kg (	rat)	
Dermal	LD50	4,000 mg/kg (	rabbit)	
· Skin co	rrosio	n/irritation	Causes severe skin burns and eye damage.	
· Serious	eye d	lamage/irritati	on Causes serious eye damage.	
· 11.2 Inf	ormati	ion on other h	azards	
· Endocri	ine dis	rupting prope	erties	
None of	the in	gredients is list	ed.	

#### 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	
CAS: 112-34-5 2-(2-butoxyethoxy)ethanol	
EC50/ 24I	n 3,200 mg/l (Daphnia magna)
LC50/ 96f	1,300 mg/l (Lepomis macrochirus)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.
12.4 Mobility in soil
No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· 12.6 Endocrine disrupting

**properties**The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Water hazard class 1 (German Regulation) (Self-assessment):

slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach

ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

 $\label{the continuous} The \ surfactants \ ingredients \ of \ the \ product \ are \ biodegradable$ 

according to the requirements of regulation 648/2004/EC.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic

organisms. In the dilution of the use-level the pH-value is

(Contd. on page 9)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

(Contd. of page 8)

considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### 13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

#### 14 Transport information

· 14.2 UN proper shipping name

·**ADR** UN3266 CORROSIVE LIQUID, BASIC,

INORGANIC, N.O.S. (SODIUM HYDROXIDE

SOLUTION)

· IMDG, IATA CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

(SODIUM HYDROXIDE SOLUTION)

· Class 8 Corrosive substances.

· Label 8 · ADR, IMDG, IATA //

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

· Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B

· Segregation groups (SGG18) Alkalis

· Stowage Category B

· **Stowage Code** SW2 Clear of living quarters.

· Segregation Code SG35 Stow "separated from" SGG1-acids

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Limited quantities (LQ) 1L
· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Transport category 2
· Tunnel restriction code E
· Limited quantities (LQ) 1L

(Contd. on page 10)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

(Contd. of page 9)

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 3266 CORROSIVE LIQUID, BASIC,

· UN "Model Regulation": UN 3266 CORROSIVE LIQUID, BASIC,

INORGANIC, N.O.S. (SODIUM HYDROXIDE

SOLUTION), 8, II

### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

CAS: 1310-73-2 sodium hydroxide

12% of total caustic alkalinity

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

· Hazard pictograms



GHS05

· **Signal word** Danger

· Hazard-determining

components of labelling: sodium hydroxide

Alkyl (C10 – C16) dimethylaminoxide

Hazard statements
 Precautionary statements
 H314 Causes severe skin burns and eye damage.
 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 11)



Printing date 25.01.2024 Version number 1.02 (replaces version 1.01) Revision: 25.01.2024

Trade name: TENSAFOAM SFO

(Contd. of page 10)

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· Directive 2012/18/EU · Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Class Share in %

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 12)

Page 12/12



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Trade name: TENSAFOAM SFO

(Contd. of page 11)

Revision: 25.01.2024

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

\* Data compared to the previous version altered.

- GB