

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**1 Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** **TENSAFOAM SZ**

· **Article number:** 99980000619

· **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· **Application of the substance / the mixture** Acidic cleaning product for use in food industry.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** Tensio  
Doornpark 36  
9120 Beveren  
Belgium  
Tel.: +32 3 755 48 74  
Fax.: +32 3 755 51 55  
e-mail: info@tensio.be

· **Further information obtainable from:** Product Safety Departement: SDS@tensio.be

· **1.4 Emergency telephone number:** +44 700 393 7989  
België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245 245  
Nederland: Nationaal Vergiftigingen Informatie Centrum : +31 30 274 88 88  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

\* **2 Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 1)

- **Signal word** Danger
- **Hazard statements** H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
  - P260 Do not breathe dusts or mists.
  - P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
  - P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P310 Immediately call a POISON CENTER/doctor.
  - P321 Specific treatment (see on this label).
  - P405 Store locked up.
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 7697-37-2 EINECS: 231-714-2 Reg.nr.: 01-2119487297-23-XXXX	nitric acid ⚠ Flam. Liq. 2, H225; ⚠ Ox. Liq. 2, H272; ⚠ Acute Tox. 1, H330; ⚠ Skin Corr. 1A, H314, EUH071 Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99% Ox. Liq. 3; H272: 70 % ≤ C < 99 %	25–50%
CAS: 61788-90-7 EINECS: 263-016-9	cocoalkyldimethylamine oxide ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Skin Irrit. 2, H315	≥1–<2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 2)

- **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*
- **After swallowing:** *Drink plenty of water and provide fresh air. Call for a doctor immediately.*
- **4.2 Most important symptoms and effects, both acute and delayed**
  - Skin contact: burns, pain, redness.*
  - Eye contact: lesions, irritations, pain, tearing, redness.*
  - Inhalation: malaise, dizziness*
  - Ingestion: burns, irritation, pain.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *Treat symptomatically. An eyewash is recommended in the immediate work area.*

## 5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.*
- **5.2 Special hazards arising from the substance or mixture**
  - In case of fire, the following can be released:*
  - Nitrogen oxides (NO<sub>x</sub>)*
  - During heating or in case of fire poisonous gases are produced.*
- **5.3 Advice for firefighters**
- **Protective equipment:** *Wear self-contained respiratory protective device.*  
*Mouth respiratory protective device.*

## 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
  - Mount respiratory protective device.*
  - Wear protective equipment. Keep unprotected persons away.*
- **6.2 Environmental precautions:**
  - Dilute with plenty of water.*
  - Do not allow to enter sewers/ surface or ground water.*
- **6.3 Methods and material for containment and cleaning up:** *Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*  
*Use neutralising agent.*  
*Dispose contaminated material as waste according to section 13.*  
*Ensure adequate ventilation.*

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 3)

**6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

**7.1 Precautions for safe handling**

Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

**Information about fire - and explosion protection:**

Keep respiratory protective device available.

**7.2 Conditions for safe storage, including any incompatibilities**
**Storage:**
**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

**Information about storage in one common storage facility:**

Not required.

**Further information about storage conditions:**

Keep container tightly sealed.

**7.3 Specific end use(s)**

No further relevant information available.

## 8 Exposure controls/personal protection

**8.1 Control parameters**
**Ingredients with limit values that require monitoring at the workplace:**

**CAS: 7697-37-2 nitric acid (25–50%)**

WEL (Great Britain) Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

IOELV (EU) Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

**Additional information:**

The lists valid during the making were used as basis.

**8.2 Exposure controls**
**Appropriate engineering controls**

No further data; see section 7.

**Individual protection measures, such as personal protective equipment**
**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.

**Respiratory protection:**

Short term filter device:

(Contd. on page 5)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 4)

**Filter B**

*Not necessary if room is well-ventilated.*

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

· **Hand protection**



**Protective gloves**

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

· **Material of gloves**

*Butyl rubber, BR*

*PVC gloves*

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye/face protection**



**Tightly sealed goggles**

· **Body protection:**

**Protective work clothing**

**9 Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

*Fluid*

· **Colour:**

*Light yellow*

· **Odour:**

*Characteristic*

· **Odour threshold:**

*Not determined.*

· **Melting point/freezing point:**

*Undetermined.*

· **Boiling point or initial boiling point and boiling range**

*83 °C*

· **Flammability**

*Not applicable.*

· **Lower and upper explosion limit**

· **Lower:**

*Not determined.*

· **Upper:**

*Not determined.*

· **Flash point:**

*> 100 °C*

· **Decomposition temperature (SADT):**

*Not determined.*

(Contd. on page 6)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 5)

· <b>pH</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	23 hPa
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.279 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	0.00 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.
· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void

(Contd. on page 7)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

· **Desensitised explosives**

Void

(Contd. of page 6)

**10 Stability and reactivity**

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions** *Reacts with various metals.  
Violent reactions with strong alkalis and oxidising agents.  
Develops toxic gases/fumes.  
Corrodes copper and brass.*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *Irritant gases/vapours  
Nitrogen oxides*

\* **11 Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*

· **LD/LC50 values relevant for classification:**

**CAS: 7697-37-2 nitric acid**

Oral	LD50	mg/kg (rat)
Inhalative	LC50/ 4h	0.05 mg/l (ATE)

- **Skin corrosion/irritation** *Causes severe skin burns and eye damage.*
- **Serious eye damage/irritation** *Causes serious eye damage.*
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

*None of the ingredients is listed.*

\* **12 Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *The dispersing agent used, is easily eliminable from water.  
The contained surfactants are easily biodegradable*
- **12.3 Bioaccumulative potential** *No further relevant information available.*

(Contd. on page 8)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 7)

- **12.4 Mobility in soil** *No further relevant information available.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Endocrine disrupting properties** *The product does not contain substances with endocrine disrupting properties.*
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** *Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
The surfactants ingredients of the product are biodegradable according to the requirements of regulation 648/2004/EC.*

**13 Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation** *Must not be disposed together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agents:** *Water, if necessary together with cleansing agents.*

\* **14 Transport information**

- **14.2 UN proper shipping name**
- **ADR** *UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)*
- **IMDG, IATA** *CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)*
- **Class** *8 Corrosive substances.*
- **Label** *8*
- **ADR, IMDG, IATA** *II*
- **14.5 Environmental hazards:**
- **Marine pollutant:** *No*
- **14.6 Special precautions for user** *Warning: Corrosive substances.*
- **Hazard identification number (Kemler code):** *80*
- **EMS Number:** *F-A, S-B*
- **Segregation groups** *(SGG1) Acids*

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 8)

- **Stowage Category** B
- **Stowage Code** SW2 Clear of living quarters.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **Limited quantities (LQ)** 1L
- **Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml
- **Transport category** 2
- **Tunnel restriction code** E
- **Limited quantities (LQ)** 1L
- **Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml
- **UN "Model Regulation":** UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, II

**15 Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· **Regulated explosives precursors**

CAS: 7697-37-2	nitric acid	3%
----------------	-------------	----

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard statements** H314 Causes severe skin burns and eye damage.
- **Precautionary statements** P260 Do not breathe dusts or mists.

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 9)

P280 *Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.*

P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*

P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

P310 *Immediately call a POISON CENTER/doctor.*

P321 *Specific treatment (see on this label).*

P405 *Store locked up.*

P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I**
- **15.2 Chemical safety assessment:**

*None of the ingredients is listed.*

*A Chemical Safety Assessment has not been carried out.*

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**
  - H225 *Highly flammable liquid and vapour.*
  - H272 *May intensify fire; oxidiser.*
  - H314 *Causes severe skin burns and eye damage.*
  - H315 *Causes skin irritation.*
  - H318 *Causes serious eye damage.*
  - H330 *Fatal if inhaled.*
  - H400 *Very toxic to aquatic life.*
  - EUH071 *Corrosive to the respiratory tract.*
- **Contact:**
  - Wim Lampaert
  - MSc Chemistry
- **Abbreviations and acronyms:**
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - VOC: Volatile Organic Compounds (USA, EU)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative

(Contd. on page 11)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 25.01.2024

Version number 1.02 (replaces version 1.01)

Revision: 25.01.2024

**Trade name: TENSAFOAM SZ**

(Contd. of page 10)

*ATE: Acute toxicity estimate values*

*Flam. Liq. 2: Flammable liquids – Category 2*

*Ox. Liq. 2: Oxidizing liquids – Category 2*

*Acute Tox. 1: Acute toxicity – Category 1*

*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

**\* Data compared to the  
previous version altered.**