

Printing date 25.01.2024 Version number 3.02 (replaces version 3.01)

Revision: 25.01.2024

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TENSALC ALU

• **Article number:** 99980000586

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Alcaline cleaning product for use in food industry.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number: België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

+44 700 393 7989

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

· Hazard pictograms



(Contd. on page 2)



Version number 3.02 (replaces version 3.01) Revision: 25.01.2024 Printing date 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 1)

· Signal word Danger

· Hazard-determining

components of labelling: sodium hydroxide

· Hazard statements H314 Causes severe skin burns and eye damage. Precautionary statements P260 Do not breathe dusts or mists.

> P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

Dispose of contents/container in accordance P501

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 1310-73-2	sodium hydroxide	≥5–≤10%
EINECS: 215-185-5 Reg.nr.: 01-2119457892-27- XXXX	Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	
CAS: 1312-76-1 EINECS: 215-199-1 Reg.nr.: 01-2119456888-17- XXXX	Silicic acid, potassium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥2.5–<10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.



Printing date 25.01.2024 Version number 3.02 (replaces version 3.01) Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 2)

4 First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

· After inhalation: In case of unconsciousness place patient stably in side position for

transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing: Drink plenty of water and provide fresh air. Call for a doctor

immediately.

 4.2 Most important symptoms and effects, both acute and

delayed Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Inhalation: malaise, dizziness Ingestion: burns, irritation, pain.

· 4.3 Indication of any immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

5 Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing

agents:

· 5.2 Special hazards arising

from the substance or

mixture

5.3 Advice for firefighters

• **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Use fire extinguishing methods suitable to surrounding conditions.

During heating or in case of fire poisonous gases are produced.

· 6.2 Environmental

precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Use neutralising agent.

(Contd. on page 4)



Printing date 25.01.2024 Version number 3.02 (replaces version 3.01) Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 3)

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe

handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

explosion protection:

Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 1310-73-2 sodium hydroxide (≥5-≤10%)

WEL (Great Britain) Short-term value: 2 mg/m³

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 5)



Printing date 25.01.2024 Version number 3.02 (replaces version 3.01) Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 4)

Respiratory protection: In case of brief exposure or low pollution use respiratory filter

device. In case of intensive or longer exposure use self-contained

respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Rubber gloves

PVC gloves

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

For the mixture of chemicals mentioned in header 3 the penetration time has to be at least 30 minutes (Permeation according to EN

374 Part 3: Level 2).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Light yellow
Characteristic
Not determined.

Undetermined.

· Boiling point or initial boiling point and

boiling range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.

(Contd. on page 6)



Printing date 25.01.2024 Version number 3.02 (replaces version 3.01) Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 5)

· Auto-ignition temperature: 571 °C

• **Decomposition temperature (SADT):**• **pH**Not determined.
Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C: 1.185 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· **VOC (EC)** 0.00 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void Void · Pyrophoric liquids · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Void

(Contd. on page 7)



Version number 3.02 (replaces version 3.01) Printing date 25.01.2024 Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 6) Void

Desensitised explosives

10 Stability and reactivity

No further relevant information available. · 10.1 Reactivity

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known.

11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 26,667 mg/kg (rat)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

No further relevant information available. degradability

· 12.3 Bioaccumulative

potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

(Contd. on page 8)



Printing date 25.01.2024 Version number 3.02 (replaces version 3.01) Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 7)

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

ronerties

properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Water hazard class 1 (German Regulation) (Self-assessment):

slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach

ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· 14.2 UN proper shipping name

·**ADR** UN3266 CORROSIVE LIQUID, BASIC,

INORGANIC, N.O.S. (SODIUM HYDROXIDE

SOLUTION

· IMDG, IATA CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

(SODIUM HYDROXIDE SOLUTION)

· Class 8 Corrosive substances.

 · Label
 8

 · ADR
 |||

 · IMDG, IATA
 ||

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80
 EMS Number: F-A,S-B
 Segregation groups (SGG18) Alkalis

· Stowage Category B

· **Stowage Code** SW2 Clear of living quarters.

Segregation Code SG35 Stow "separated from" SGG1-acids

(Contd. on page 9)



Printing date 25.01.2024 Version number 3.02 (replaces version 3.01) Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 8)

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category 3
· Tunnel restriction code E
· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 3266 CORROSIVE LIQUID, BASIC,

INORGANIC, N.O.S. (SODIUM HYDROXIDE

SOLUTION), 8, III

15 Regulatory information

· UN "Model Regulation":

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

CAS: 1310-73-2 sodium hydroxide

12% of total caustic alkalinity

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining

components of labelling: sodium hydroxide

Hazard statements
 Precautionary statements
 H314 Causes severe skin burns and eye damage.
 Do not breathe dusts or mists.

(Contd. on page 10)



Printing date 25.01.2024 Version number 3.02 (replaces version 3.01) Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 9)

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· Directive 2012/18/EU

Named dangerous

substances - ANNEX I

· 15.2 Chemical safety

assessment:

None of the ingredients is listed.

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H302 Harmful if swallowed. · Relevant phrases

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 11)

Page 11/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 3.02 (replaces version 3.01)

Revision: 25.01.2024

Trade name: TENSALC ALU

(Contd. of page 10)

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

* Data compared to the previous version altered.

- GB