Revision: 25.01.2024



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 5.03 (replaces version 5.02)

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

TENSALC GA

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Alcaline cleaning product for use in food industry.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number:

+44 700 393 7989

België / Belgique: Antigifcentrum / Centre Antipoison: +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





(Contd. on page 2)



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 1)

· **Signal word** Danger

· Hazard-determining

components of labelling: sodium hydroxide

potassium hydroxide

· **Hazard statements** H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

• Precautionary statements P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 1310-73-2	sodium hydroxide	10–25%
EINECS: 215-185-5	♦ Skin Corr. 1A, H314; ♠ Acute Tox. 4, H302	
Reg.nr.: 01-2119457892-27-	Specific concentration limits:	
XXXX	Skin Corr. 1A; H314: C ≥ 5%	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	
CAS: 1310-58-3	potassium hydroxide	10–25%
EINECS: 215-181-3	Skin Corr. 1A, H314; (1) Acute Tox. 4, H302	. – –
Reg.nr.: 01-2119487136-33-	Specific concentration limits:	
XXXX	Skin Corr. 1A; H314: C ≥ 5%	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	

Contd. on page 3



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 2)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

· After inhalation: In case of unconsciousness place patient stably in side position for

transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing: Rinse out mouth and then drink plenty of water.

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor

immediately.

· 4.2 Most important symptoms and effects, both acute and

delayed Skin con

Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Inhalation: malaise, dizziness Ingestion: burns, irritation, pain.

· 4.3 Indication of any

immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

5 Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing

· 5.2 Special hazards arising

from the substance or

mixture

agents:

Use fire extinguishing methods suitable to surrounding conditions.

During heating or in case of fire poisonous gases are produced.

· 5.3 Advice for firefighters

• **Protective equipment:** Mouth respiratory protective device.

GB



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 3)

6 Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental

precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

-CB



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 4)

8 Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 1310-73-2 sodium hydroxide (10-25%)

WEL (Great Britain) Short-term value: 2 mg/m3

CAS: 1310-58-3 potassium hydroxide (10-25%)

WEL (Great Britain) Short-term value: 2 mg/m3

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: Use suitable respiratory protective device only when aerosol or

mist is formed.

Short term filter device:

Filter P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained

respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant

to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.19 mm

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

(Contd. on page 6)

(Contd. of page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

· Penetration time of glove

material

For the mixture of chemicals mentioned in header 3 the penetration time has to be at least 30 minutes (Permeation according to EN

374 Part 3: Level 2).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Tightly sealed goggles

· Body protection: Alkaline resistant protective clothing

Boots

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Yellow

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature (SADT): Not determined.

· pH at 20 °C >11.5

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

(Contd. on page 7)



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 6)

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Void · Flammable liquids · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Void

Void

Void

10 Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known.



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 7)

11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1,540 mg/kg (rat)

CAS: 1310-73-2 sodium hydroxide

Oral LD50 2,000 mg/kg (rat)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Water hazard class 1 (German Regulation) (Self-assessment):

slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach

ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is

considerably reduced, so that after the use of the product the

(Contd. on page 9)



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 8)

aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

14 Transport information

14.2 UN proper shipping name

· ADR UN3266 CORROSIVE LIQUID, BASIC,

INORGANIC, N.O.S. (SODIUM HYDROXIDE

SOLUTION)

· IMDG, IATA CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

(SODIUM HYDROXIDE SOLUTION)

· Class 8 Corrosive substances.

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

· Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B

· Segregation groups (SGG18) Alkalis

· Stowage Category B

• Stowage Code SW2 Clear of living quarters.

· Segregation Code SG35 Stow "separated from" SGG1-acids

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Transport category 2
· Tunnel restriction code E
· Limited quantities (LQ) 1L

(Contd. on page 10)



Version number 5.03 (replaces version 5.02) Printing date 25.01.2024 Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 9)

Excepted quantities (EQ) Code: E2

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 3266 CORROSIVE LIQUID, BASIC,

UN "Model Regulation": INORGANIC, N.O.S. (SODIUM HYDROXIDE

SOLUTION), 8, II

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

· Regulated	explosives	precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable po	oisons
-----------------	--------

CAS: 1310-73-2	sodium hydroxide	12% of total caustic alkalinity
CAS: 1310-58-3	potassium hydroxide	17% of total caustic alkalinity

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05

· Signal word Danger

· Hazard-determining

components of labelling: sodium hydroxide potassium hydroxide

H302 Harmful if swallowed.

· Hazard statements

H314 Causes severe skin burns and eye damage. P260 Do not breathe dusts or mists.

Precautionary statements P280

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 11)



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 10)

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· Directive 2012/18/EU

· Named dangerous

substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport

Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation"

(ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 12)

Page 12/14



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 5.03 (replaces version 5.02)

Revision: 25.01.2024

Trade name: TENSALC GA

* * Data compared to the previous version altered.

(Contd. of page 11)

(Contd. on page 13)



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 12)

Annex: Exposure scenario

Description of the activities / processes covered in the

Exposure Scenario See section 1 of the annex to the Safety Data Sheet.

· Conditions of use

Duration and frequency 5 workdays/week.

· Physical parameters

· Physical state Fluid

· Concentration of the

substance in the mixture The substance is main component.

· Other operational conditions · Other operational conditions affecting environmental

exposure No special measures required.

Other operational conditions

affecting worker exposureAvoid contact with eyes.
Avoid contact with the skin.

· Other operational conditions

affecting consumer exposure No special measures required.

Other operational conditions affecting consumer exposure

during the use of the product Not applicable.

· Risk management measures

· Worker protection

· Organisational protective

measures No special measures required.

Technical protective

measures Ensure that suitable extractors are available on processing

machines

· Personal protective measures Do not inhale gases / fumes / aerosols.

Avoid contact with the skin. Avoid contact with the eyes. Tightly sealed goggles Protective gloves

The glove material has to be impermeable and resistant to the

product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

· Measures for consumer

protection Ensure adequate labelling.

Environmental protection measures

• Water Generally, prior to the introduction of wastewater into wastewater

treatment plants a neutralisation is required.

• **Disposal measures** Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

(Contd. on page 14)



Printing date 25.01.2024 Version number 5.03 (replaces version 5.02) Revision: 25.01.2024

Trade name: TENSALC GA

(Contd. of page 13)

Must not be disposed together with household garbage. Do not · Disposal procedures

allow product to reach sewage system.

· Waste type Partially emptied and uncleaned packaging

· Exposure estimation

Not relevant for this Exposure Scenario. · Consumer

· Guidance for downstream users

No further relevant information available.