Revision: 25.01.2024



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024

Version number 3.01 (replaces version 3.00)

## 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TENSAQUA BFW 76N

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture

Water treatment

Suitable for use in the food and beverage industry

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number:

België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

+44 700 393 7989

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



(Contd. on page 2)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00) Revision: 25.01.2024

Trade name: TENSAQUA BFW 76N

(Contd. of page 1)

· **Signal word** Danger

· **Hazard statements** H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

spray

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P304+P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel

unwell.

P363 Wash contaminated clothing before reuse.

· Additional information: EUH031 Contact with acids liberates toxic gas.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

#### 3 Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 7681	_	sodium metabisulphite	10–25%	
		Eye Dam. 1, H318; 🕔 Acute Tox. 4, H302, EUH031	> 5 1400/	
CAS: 141-4 EINECS: 2		2-aminoethanol Skin Corr. 1B, H314; ↑ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥5–≤10%	
CAS: 7778 EINECS: 2		TRIPOTASSIUM PHOSPHATE  Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥2.5–<10%	
Additional information: For the wording of the listed hezord phroses refer to section 16				

• **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

· 4.1 Description of first aid measures

• **General information:** Immediately remove any clothing soiled by the product. Supply fresh air; consult doctor in case of complaints.

· After skin contact: Immediately rinse with water.

(Contd. on page 3)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00) Revision: 25.01.2024

Trade name: TENSAQUA BFW 76N

(Contd. of page 2)

· After eye contact: Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing: If symptoms persist consult doctor.

 4.2 Most important symptoms and effects, both acute and

delayed Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Ingestion: burns, irritation, pain.

· 4.3 Indication of any immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

### 5 Firefighting measures

· 5.1 Extinguishing media · Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or

alcohol resistant foam.

 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

• **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

 6.1 Personal precautions, protective equipment and

emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00) Revision: 25.01.2024

Trade name: TENSAQUA BFW 76N

(Contd. of page 3)

See Section 13 for disposal information.

## 7 Handling and storage

· 7.1 Precautions for safe

**handling** Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

**explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in

one common storage facility: Do not store together with acids.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:  CAS: 7681-57-4 sodium metabisulphite (10–25%)					
CAS: 141-43-5 2-aminoethanol (≥5–≤10%)					
WEL (Great Britain)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk				
IOELV (EU)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Skin				

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data: see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

(Contd. on page 5)



Version number 3.01 (replaces version 3.00) Revision: 25.01.2024 Printing date 25.01.2024

Trade name: TENSAQUA BFW 76N

(Contd. of page 4)

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter

device. In case of intensive or longer exposure use self-contained

respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant

to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Synthetic rubber gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

## 9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid · Colour: Yellowish · Odour: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range 100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flammability Not applicable.

· Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. > 60 °C

· Flash point:

(Contd. on page 6)



Revision: 25.01.2024 Version number 3.01 (replaces version 3.00) Printing date 25.01.2024

Trade name: TENSAQUA BFW 76N

(Contd. of page 5)

· Decomposition temperature (SADT): Not determined.

· pH at 20 °C 7.8

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

Fully miscible. · water:

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Density and/or relative density

· Density at 20 °C: 1.21 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

Fluid · Form:

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: 8.5 %

· Change in condition

Not determined. · Evaporation rate

· Information with regard to physical hazard

classes · Explosives Void Void · Flammable gases Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void

(Contd. on page 7)



Version number 3.01 (replaces version 3.00) Printing date 25.01.2024 Revision: 25.01.2024

Trade name: TENSAQUA BFW 76N

(Contd. of page 6) Void

Desensitised explosives

### 10 Stability and reactivity

No further relevant information available. · 10.1 Reactivity

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available. No further relevant information available. · 10.5 Incompatible materials:

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage. · STOT-single exposure May cause respiratory irritation.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

No further relevant information available. degradability

· 12.3 Bioaccumulative

potential No further relevant information available. No further relevant information available. · 12.4 Mobility in soil

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

The product does not contain substances with endocrine disrupting properties

properties.

(Contd. on page 8)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00) Revision: 25.01.2024

Trade name: TENSAQUA BFW 76N

(Contd. of page 7)

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Water hazard class 1 (German Regulation) (Self-assessment):

slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach

ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or

unneutralised.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

## 13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

## 14 Transport information

· 14.2 UN proper shipping name

· **ADR** UN2491 ETHANOLAMINE SOLUTION

• IMDG, IATA ETHANOLAMINE SOLUTION • Class 8 Corrosive substances.

· Label 8

· ADR, IMDG, IATA

• **14.5 Environmental hazards:** Not applicable.

• 14.6 Special precautions for user Warning: Corrosive substances.

· Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B

· Segregation groups (SGG18) Alkalis

· Stowage Category A

· Segregation Code SG35 Stow "separated from" SGG1-acids

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category 3 · Tunnel restriction code E

(Contd. on page 9)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00) Revision: 25.01.2024

5L

Trade name: TENSAQUA BFW 76N

(Contd. of page 8)

· Limited quantities (LQ)

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 2491 ETHANOLAMINE SOLUTION, 8, III

## 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05 GHS07

· **Signal word** Danger

· **Hazard statements** H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

P280 Wear protective gloves/protective clothing/eye

protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P304+P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel

unwell.

(Contd. on page 10)



Printing date 25.01.2024 Version number 3.01 (replaces version 3.00) Revision: 25.01.2024

Trade name: TENSAQUA BFW 76N

(Contd. of page 9)

P363 Wash contaminated clothing before reuse.

Directive 2012/18/EU
Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

		•
Class	Sharean	%

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. EUH031 Contact with acids liberates toxic gas.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.