GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2024 Version number 3.08 (replaces version 3.07) Revision: 25.01.2024 1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier TENSAWASH · Trade name: 99980000683 · Article number: · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Alcaline cleaning product for use in food industry. · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Tensio Doornpark 36 9120 Beveren Belgium Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be · Further information obtainable from: Product Safety Departement: SDS@tensio.be · 1.4 Emergency telephone number: België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245 245 Nederland: Nationaal Vergiftigingen Informatie Centrum : +31 30 274 88 88 Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 +3237554874 2 Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 Skin Corr. 1A H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.
 Aquatic Acute 1 H400 Very toxic to aquatic life.
 Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
 2.2 Label elements
 Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. (Contd. on page 2)



Printing date 25.01.2024

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

llanavel a jota average	A A	(Contd. of page
Hazard pictograms	FT ¥	
	GHS05 GHS	09
Signal word	Danger	
Hazard-determining		
components of labelling:	potassium hydro	oxide
	sodium hypochl	orite, solution
Hazard statements		evere skin burns and eye damage.
		to aquatic life with long lasting effects.
Precautionary statements	P260	Do not breathe dusts or mists.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eg
		protection/face protection/hearing protection.
	P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately a
		contaminated clothing. Rinse skin with water [
		shower].
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water f
		several minutes. Remove contact lenses,
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P405	Store locked up.
	P501	Dispose of contents/container in accordance
		with local/regional/national/internation
		regulations.
2.3 Other hazards		
Results of PBT and vPvB as		
PBT:	Not applicable.	
vPvB:	Not applicable.	

3 Composition/information on ingredients

· 3.2 Mixtures · Description:

Mixture of substances listed below with nonhazardous additions.

CAS: 1310-58-3	potassium hydroxide	≥5–≤10%
EINECS: 215-181-3	Skin Corr. 1A, H314; (1) Acute Tox. 4, H302	
Reg.nr.: 01-2119487136-33-	Specific concentration limits:	
XXXX	Skin Corr. 1A; H314: C ≥5 %	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	

GB -



Printing date 25.01.2024 Version

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

odium hypochlorite, solution Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic cute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302, EUH031 pecific concentration limit: EUH031: C ≥ 5 % or the wording of the listed hazard phrases refer to sect	≥3-<5%
cute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302, EUH031 pecific concentration limit: EUH031: C ≥ 5 %	
Acute Tox. 4, H302, EUH031 pecific concentration limit: EUH031: $C \ge 5 \%$	10 m 10
pecific concentration limit: EUH031: C ≥ 5 %	10 m 10
EUH031: C ≥ 5 %	(i.e. 10
	1 a a 4 0
or the wording of the listed hazard phrases refer to sect	1
	101 16.
ures	
nmediately remove any clothing soiled by the product.	
n case of unconsciousness place patient stably in side ansportation.	position fo
•	ahlv.
onsult a doctor.	
rink plenty of water and provide fresh air. Call fo nmediately.	r a docto
kin contact: burns, pain, redness.	
ye contact: lesions, irritations, pain, tearing, redness.	
halation: malaise, dizziness	
ngestion: burns, irritation, pain.	
reat symptomatically. An eyewash is recomment nmediate work area.	ded in th
	nmediately remove any clothing soiled by the product. case of unconsciousness place patient stably in side ansportation. nmediately wash with water and soap and rinse thoroug inse opened eye for several minutes under running w onsult a doctor. rink plenty of water and provide fresh air. Call fo nmediately. kin contact: burns, pain, redness. ye contact: lesions, irritations, pain, tearing, redness. halation: malaise, dizziness gestion: burns, irritation, pain. reat symptomatically. An eyewash is recommend

Use fire extinguishing methods suitable to surrounding conditions.

Wear self-contained respiratory protective device.

Mouth respiratory protective device.

- from the substance ormixtureDuring heating or in case of fire poisonous gases are produced.5.2 Advises for fireficities
- 5.3 Advice for firefighters

· 5.2 Special hazards arising

agents:

· Protective equipment:

(Contd. on page 4)

GB



Printing date 25.01.2024 Vers

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

(Contd. of page 3)

6 Accidental release measures		
• 6.1 Personal precautions, protective equipment and		
emergency procedures	Mount respiratory protective device.	
	Wear protective equipment. Keep unprotected persons away.	
· 6.2 Environmental		
precautions:	Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course	
	or sewage system.	
	Dilute with plenty of water.	
	Do not allow to enter sewers/ surface or ground water.	
[.] 6.3 Methods and material for		
containment and cleaning up	<i>c:</i> Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	Use neutralising agent.	
	Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.	
· 6.4 Reference to other	Ensure adequate ventilation.	
sections	See Section 7 for information on safe handling.	
366110113	See Section 7 for mormation on sale nandling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	

7 Handling and storage

· 7.1 Precautions for safe	Keen away from best and direct symbolish
handling	Keep away from heat and direct sunlight. Do not seal receptacles gas-tight.
	Ensure good ventilation/exhaustion at the workplace.
	Prevent formation of aerosols.
 Information about fire - and 	
explosion protection:	Keep respiratory protective device available.
 Storage: Requirements to be met by 	e, including any incompatibilities
storerooms and receptacles: · Information about storage in	Store in a cool location.
one common storage facility: Further information about	Not required.
storage conditions:	Keep container tightly sealed.
· 7.3 Specific end use(s)	No further relevant information available.
	GB

(Contd. on page 5)



Printing date 25.01.2024 Vers

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

(Contd. of page 4)

Trade name: TENSAWASH

8.1 Control parameters Ingredients with limit valu	es that require monitoring at the workplace:
CAS: 1310-58-3 potassium	n hydroxide (≥5–≤10%)
WEL (Great Britain) Short-t	erm value: 2 mg/m³
Additional information:	The lists valid during the making were used as basis.
8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
Individual protection measured	sures, such as personal protective equipment
General protective and	
hygienic measures:	Keep away from foodstuffs, beverages and feed.
	Immediately remove all soiled and contaminated clothing
	Wash hands before breaks and at the end of work.
	Avoid contact with the eyes.
	Avoid contact with the eyes and skin.
Respiratory protection:	In case of brief exposure or low pollution use respiratory filt
	device. In case of intensive or longer exposure use self-contained
	respiratory protective device.
Hand protection	Protective gloves
	The glove material has to be impermeable and resista
	to the product/ the substance/ the preparation.
	Selection of the glove material on consideration of the
	penetration times, rates of diffusion and the degradation
Material of gloves	The selection of the suitable gloves does not only depend on the
	material, but also on further marks of quality and varies fro
	manufacturer to manufacturer. As the product is a preparation
	several substances, the resistance of the glove material can not
	calculated in advance and has therefore to be checked prior to the
	application.
Penetration time of glove	••
material	The exact break trough time has to be found out by the
	manufacturer of the protective gloves and has to be observed.
Eye/face protection	
, . ,	Tightly sealed goggles

(Contd. on page 6)



Printing date 25.01.2024

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

(Contd. of page 5)

Trade name: TENSAWASH

Colour:LigOdour:ChOdour threshold:NoMelting point/freezing point:UnBoiling point or initial boiling point andboiling rangeboiling rangeUnFlammabilityNoLower:NoLower:NoUpper:NoPlash point:NoDecomposition temperature (SADT):NoPH at 20 °C>1Viscosity:NoSolubilityNoSolubilityNoVapur pressure at 20 °C:23Density and/or relative densityNoVapour pressure at 20 °C:1.1Relative densityNo9.2 Other informationAppearance:Form:FlutImportant information on protection of health and environment, and on safety.Ignition temperature:Ignition temperature:ProSolvent content:Pro	luid ght yellow haracteristic ot determined. ndetermined. ot applicable. ot determined. ot determined. ot determined. 11.5 ot determined. ully miscible.	
Colour:LigOdour:ChOdour threshold:NoMelting point/freezing point:UnBoiling point or initial boiling point andboiling rangeboiling rangeUnFlammabilityNoLower and upper explosion limitNoLower:NoUpper:NoDecomposition temperature (SADT):NoPH at 20 °C>1Viscosity:NoSolubilityNovater:FuPartition coefficient n-octanol/water (logvalue)NoVapour pressure at 20 °C:23Density and/or relative densityNoQapour densityNo9.2 Other informationAppearance:Form:FlutImportant information on protection of health and environment, and on safety.Ignition temperature:ProSolvent content:Pro	ght yellow haracteristic ot determined. ndetermined. ot applicable. ot determined. ot determined. ot determined. 11.5 ot determined. ot determined.	
Colour:LigOdour:ChOdour threshold:NoMelting point/freezing point:UnBoiling point or initial boiling point andboiling rangeboiling rangeUnFlammabilityNoLower and upper explosion limitImLower:NoUpper:NoDecomposition temperature (SADT):NoPH at 20 °C>1Viscosity:NoSolubilityNoSolubilityNoVapour pressure at 20 °C:23Density and/or relative densityNoVapour pressure at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FlutImportant information on protection of health and environment, and on safety.Ignition temperature:ProSolvent content:Pro	haracteristic ot determined. ndetermined. ot applicable. ot determined. ot determined. ot determined. 11.5 ot determined. ot determined.	
Odour:ChOdour threshold:NoMelting point/freezing point:UnBoiling point or initial boiling point andboiling rangeboiling rangeUnFlammabilityNoLower and upper explosion limitNoLower:NoUpper:NoDecomposition temperature (SADT):NoPercomposition temperature (SADT):NoDecomposition temperature (SADT):NoOynamic:NoSolubilityNovaue)NoVapour pressure at 20 °C:23Density at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FlueImportant information on protection of health and environment, and on safety.Ignition temperature:ProSolvent content:Pro	haracteristic ot determined. ndetermined. ot applicable. ot determined. ot determined. ot determined. 11.5 ot determined. ot determined.	
Melting point/freezing point:UnBoiling point or initial boiling point and boiling rangeUnFlammabilityNoLower and upper explosion limitNoLower:NoUpper:NoDecomposition temperature (SADT):NoPH at 20 °C>1Viscosity:NoKinematic viscosityNoSolubilityNovalue)NoVapour pressure at 20 °C:23Density at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FluImportant information on protection of health and environment, and on safety.ProIgnition temperature:ProSolvent content:ProSolvent content:Pro	ndetermined. ndetermined. ot applicable. ot determined. ot determined. ot applicable ot determined. 11.5 ot determined. ot determined.	
Boiling point or initial boiling point and boiling rangeUnFlammabilityNoFlammabilityNoLower and upper explosion limitNoLower:NoUpper:NoPlash point:NoDecomposition temperature (SADT):NoPH at 20 °C>1Viscosity:NoKinematic viscosityNoDynamic:NoSolubilityNovalue)NoVapour pressure at 20 °C:23Density at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FluImportant information on protection of health and environment, and on safety.Ignition temperature:ProSolvent content:Pro	ndetermined. ot applicable. ot determined. ot determined. ot applicable ot determined. 11.5 ot determined. ot determined.	
Boiling point or initial boiling point and boiling rangeUnFlammabilityNoLower and upper explosion limitLower:NoUpper:NoDecomposition temperature (SADT):NoPecomposition temperature (SADT):NoPH at 20 °C>1Viscosity:NoKinematic viscosityNoDynamic:NoSolubilityNovalue)NoVapour pressure at 20 °C:23Density at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FluImportant information on protection of health and environment, and on safety.Ignition temperature:ProSolvent content:Pro	ot applicable. ot determined. ot determined. ot applicable ot determined. 11.5 ot determined. ot determined.	
boiling rangeUnFlammabilityNoLower and upper explosion limitLower:NoUpper:NoOpper:NoPlash point:NoDecomposition temperature (SADT):NopH at 20 °C>1Viscosity:NoKinematic viscosityNoDynamic:NoSolubilityNovalue)NoVapour pressure at 20 °C:23Density at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FluImportant information on protection of health and environment, and on safety.Ignition temperature:ProSolvent content:Pro	ot applicable. ot determined. ot determined. ot applicable ot determined. 11.5 ot determined. ot determined.	
FlammabilityNoLower and upper explosion limitLower:NoUpper:NoOpper:NoPlash point:NoDecomposition temperature (SADT):NoPH at 20 °C>1Viscosity:NoKinematic viscosityNoDynamic:NoSolubilityNovalue)NoVapour pressure at 20 °C:23Density and/or relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FlueImportant information on protection of health and environment, and on safety.Ignition temperature:ProSolvent content:Pro	ot determined. ot determined. ot applicable ot determined. 11.5 ot determined. ot determined.	
Lower and upper explosion limitLower:NoUpper:NoUpper:NoFlash point:NoDecomposition temperature (SADT):NopH at 20 °C>1Viscosity:NoKinematic viscosityNoDynamic:NoSolubilityNowater:FullPartition coefficient n-octanol/water (logvalue)NoVapour pressure at 20 °C:23Density and/or relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FlueImportant information on protection of health and environment, and on safety.Ignition temperature:ProExplosive properties:ProSolvent content:Pro	ot determined. ot determined. ot applicable ot determined. 11.5 ot determined. ot determined.	
Lower:NoUpper:NoUpper:NoFlash point:NoDecomposition temperature (SADT):NopH at 20 °C>1Viscosity:NoKinematic viscosityNoDynamic:NoSolubilityNowater:FullPartition coefficient n-octanol/water (logvalue)NoVapour pressure at 20 °C:23Density at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FluImportant information on protection of health and environment, and on safety.Ignition temperature:ProSolvent content:Pro	ot determined. ot applicable ot determined. 11.5 ot determined. ot determined.	
Flash point: No Decomposition temperature (SADT): No pH at 20 °C >1 Viscosity: No Kinematic viscosity No Dynamic: No Solubility No water: Full Partition coefficient n-octanol/water (log No value) No Vapour pressure at 20 °C: 23 Density and/or relative density No Density at 20 °C: 1.1 Relative density No Vapour density No 9.2 Other information Appearance: Form: Flut Important information on protection of health and environment, and on safety. Ignition temperature: Pro Explosive properties: Pro Solvent content: Pro	ot applicable ot determined. 11.5 ot determined. ot determined.	
Flash point: No Decomposition temperature (SADT): No pH at 20 °C >1 Viscosity: No Kinematic viscosity No Dynamic: No Solubility No water: Full Partition coefficient n-octanol/water (log No value) No Vapour pressure at 20 °C: 23 Density and/or relative density No Density at 20 °C: 1.1 Relative density No Vapour density No 9.2 Other information Appearance: Form: Flut Important information on protection of health and environment, and on safety. Ignition temperature: Pro Explosive properties: Pro Solvent content: Pro	ot determined. 11.5 ot determined. ot determined.	
Decomposition temperature (SADT):NopH at 20 °C>1Viscosity:NoKinematic viscosityNoDynamic:NoSolubilitySolubilitywater:FullPartition coefficient n-octanol/water (logvalue)NoVapour pressure at 20 °C:23Density and/or relative densityDensity at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FlutImportant information on protection of health and environment, and on safety.Ignition temperature:ProExplosive properties:ProSolvent content:Pro	ot determined. 11.5 ot determined. ot determined.	
pH at 20 °C>1Viscosity:NoKinematic viscosityNoDynamic:NoSolubilityNovater:FullPartition coefficient n-octanol/water (logvalue)NoVapour pressure at 20 °C:23Density and/or relative densityDensity at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FluImportant information on protection of healthand environment, and on safety.Ignition temperature:ProExplosive properties:ProSolvent content:	ot determined. ot determined.	
Viscosity: Kinematic viscosity No Dynamic: No Solubility No water: Full Partition coefficient n-octanol/water (log No value) No Vapour pressure at 20 °C: 23 Density and/or relative density No Density at 20 °C: 1.1 Relative density No Vapour density No 9.2 Other information Appearance: Form: Flu Important information on protection of health and environment, and on safety. Ignition temperature: Pro Explosive properties: Pro Solvent content: Pro	ot determined.	
Kinematic viscosityNoDynamic:NoSolubilityNovater:FullPartition coefficient n-octanol/water (logvalue)NoVapour pressure at 20 °C:23Density and/or relative densityDensity at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FlueImportant information on protection of healthand environment, and on safety.Ignition temperature:ProSolvent content:	ot determined.	
Dynamic:NoSolubilityFullwater:FullPartition coefficient n-octanol/water (logvalue)NoVapour pressure at 20 °C:23Density and/or relative densityDensity at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FlutImportant information on protection of healthand environment, and on safety.Ignition temperature:ProtectionSolvent content:	ot determined.	
Solubility water: Full Partition coefficient n-octanol/water (log value) No Vapour pressure at 20 °C: 23 Density and/or relative density Density at 20 °C: Density at 20 °C: 1.1 Relative density No Vapour density No Vapour density No 9.2 Other information Appearance: Form: Flut Important information on protection of health and environment, and on safety. Ignition temperature: Protection Explosive properties: Protection Solvent content: Protection		
water:FullPartition coefficient n-octanol/water (logvalue)NoVapour pressure at 20 °C:23Density and/or relative densityDensity at 20 °C:1.1Relative densityNoVapour densityNoVapour densityNo9.2 Other informationAppearance:Form:FlutImportant information on protection of healthand environment, and on safety.Ignition temperature:ProExplosive properties:ProSolvent content:	ully miscible	
Partition coefficient n-octanol/water (log value) No value) No Vapour pressure at 20 °C: 23 Density and/or relative density 1.1 Density at 20 °C: 1.1 Relative density No Vapour density No 9.2 Other information No Appearance: Flue Important information on protection of health and environment, and on safety. Flue Ignition temperature: Protection Explosive properties: Protection Solvent content: Protection		
value)NoVapour pressure at 20 °C:23Density and/or relative density1.1Density at 20 °C:1.1Relative densityNoVapour densityNo9.2 Other informationAppearance:Form:FlueImportant information on protection of healthand environment, and on safety.Ignition temperature:ProExplosive properties:ProSolvent content:		
Vapour pressure at 20 °C: 23 Density and/or relative density 1.1 Density at 20 °C: 1.1 Relative density No Vapour density No 9.2 Other information No Appearance: Flut Important information on protection of health and environment, and on safety. Protection Ignition temperature: Protection Solvent content: Protection	ot determined.	
Density and/or relative density Density at 20 °C: 1.1 Relative density No Vapour density No 9.2 Other information No Appearance: Flut Important information on protection of health and environment, and on safety. Flut Ignition temperature: Protection Solvent content: Protection	3 hPa	
Density at 20 °C: 1.1 Relative density No Vapour density No 9.2 Other information No Appearance: Flue Form: Flue Important information on protection of health and environment, and on safety. Protection Ignition temperature: Protection Explosive properties: Protection Solvent content: Protection		
Relative density No Vapour density No 9.2 Other information No Appearance: Form: Form: Flue Important information on protection of health and environment, and on safety. Pro Ignition temperature: Pro Explosive properties: Pro Solvent content: Pro	17 g/cm³	
Vapour density No 9.2 Other information Appearance: Appearance: Flux Form: Flux Important information on protection of health and environment, and on safety. Protection of health and on safety. Ignition temperature: Protection of health and on safety. Solvent content: Protection of health and on safety.	ot determined.	
Appearance: Flue Form: Flue Important information on protection of health and environment, and on safety. Ignition temperature: Protection Explosive properties: Protection Solvent content: Protection	ot determined.	
Appearance: Flue Form: Flue Important information on protection of health and environment, and on safety. Ignition temperature: Protection Explosive properties: Protection Solvent content: Protection		
Final Field		
and environment, and on safety.Ignition temperature:ProExplosive properties:ProSolvent content:Pro	luid	
and environment, and on safety.Ignition temperature:ProExplosive properties:ProSolvent content:Pro		
Ignition temperature: Properties: Explosive properties: Properties: Solvent content: Properties:		
Explosive properties: Pro Solvent content:	roduct is not selfigniting.	
Solvent content:	Product does not present an explosion hazard.	
VOC (EC) 0.0	, , ,	
	00 %	
Change in condition		
-	ot determined.	
Information with regard to physical hazard		
classes		
• Explosives Vo		



Printing date 25.01.2024

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

		(Contd. of page 6)
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	Reacts with acids.
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	Poisonous gases/vapours

11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 3,554 mg/kg (rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 8)

GB



Printing date 25.01.2024 Version nu

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

· 11.2 Information on other hazards

(Contd. of page 7)

· Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

12.1 Toxicity	
Aquatic toxicity:	No further relevant information available.
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vF	PvB assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	
properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects	
Remark:	Very toxic for fish
	Toxic for fish
Additional ecological infor	mation:
General notes:	Water hazard class 2 (German Regulation) (Self-assessment) hazardous for water
	Do not allow product to reach ground water, water course o sewage system.
	Must not reach sewage water or drainage ditch undiluted o unneutralised.
	Danger to drinking water if even small quantities leak into the ground.
	Also poisonous for fish and plankton in water bodies.
	The surfactants ingredients of the product are biodegradable according to the requirements of regulation 648/2004/EC.
	Very toxic for aquatic organisms
	Toxic for aquatic organisms
	Rinse off of bigger amounts into drains or the aquatic environmen
	may lead to increased pH-values. A high pH-value harms aquation
	organisms. In the dilution of the use-level the pH-value is
	considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 9)



Printing date 25.01.2024 Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

(Contd. of page 8)

13 Disposal considerations	
· 13.1 Waste treatment metho	ds
· Recommendation	Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packaging: Recommendation: Recommended cleansing 	Disposal must be made according to official regulations.
agents:	Water, if necessary together with cleansing agents.

14 Transport information

14.2 UN proper shipping name ADR	UN3266 CORROSIVE LIQUID, BASIC,
	INORGANIC, N.O.S. (POTASSIUM HYDROXIDE,
	sodium hypochlorite, solution),
	ENVIRONMENTALLY HAZARDOUS
	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
	(POTASSIUM HYDROXIDE, sodium hypochlorite,
,	solution)
	CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM
	HYDROXIDE, sodium hypochlorite, solution)
	8 Corrosive substances.
	8
	5 11
14.5 Environmental hazards:	1
	No
	Symbol (fish and tree)
,	Warning: Corrosive substances.
Hazard identification number (Kemler code): 8	•
. ,	F-A,S-B
	(SGG18) Alkalis
	B
	SW2 Clear of living quarters.
•	SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
	1L
Excepted quantities (EQ)	Code: E2
Ι	Maximum net quantity per inner packaging: 30 ml
Ι	Maximum net quantity per outer packaging: 500 ml
Transport category 2	2
Tunnel restriction code	E
	(Contd. on page 10)



Printing date 25.01.2024 Versio

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

 Limited quantities (LQ) Excepted quantities (EQ) 	1L Code:	
· UN "Model Regulation":	Maxin UN INOR SODI	mum net quantity per inner packaging: 30 ml mum net quantity per outer packaging: 500 ml 3266 CORROSIVE LIQUID, BASIC, RGANIC, N.O.S. (POTASSIUM HYDROXIDE, IUM HYPOCHLORITE, SOLUTION), 8, II, IRONMENTALLY HAZARDOUS
15 Regulatory information		
 15.1 Safety, health and environ mixture Poisons Act 	nmental regulations/	/legislation specific for the substance or
· Regulated explosives precurs	ors	
None of the ingredients is listed.		
· Regulated poisons		
None of the ingredients is listed.		
· Reportable explosives precurs	sors	
None of the ingredients is listed.		
· Reportable poisons		
CAS: 1310-58-3 potassium hyd	roxide	17% of total caustic alkalinity
CAS: 7681-52-9 sodium hypoch	nlorite, solution	Listed
Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms	The product is class regulation. GHS05 GHS09	sified and labelled according to the GB CLP
· Signal word	Danger	
 Hazard-determining components of labelling: 	potassium hydroxide sodium hypochlorite,	
· Hazard statements		e skin burns and eye damage. quatic life with long lasting effects.
· Precautionary statements	P260 Do P273 Av P280 W P303+P361+P353 IF co	void release to the environment. /ear protective gloves/protective clothing/eye rotection/face protection/hearing protection. ^E ON SKIN (or hair): Take off immediately all ontaminated clothing. Rinse skin with water [or hower]. (Contd. on page 11)



Printing date 25.01.2024

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

	P305+P351+P3	(Contd. of page 10) 338 IF IN EYES: Rinse cautiously with water for
	P310	several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P405 P501	Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.
Directive 2012/18/EU		
 Named dangerous substances - ANNEX I 	None of the ing	radianta in listad
· Seveso category	None of the ingredients is listed. E1 Hazardous to the Aquatic Environment	
Qualifying quantity (tonnes) for the application of lower-		
tier requirements	200 t	
Qualifying quantity (tonnes)		
for the application of upper-		
tier requirements	500 t	
15.2 Chemical safety		
assessment:	A Chemical Saf	fety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H302	Harmful if swallowed.	
	H314	Causes severe skin burns and eye damage.	
	H315	Causes skin irritation.	
	H318	Causes serious eye damage.	
	H319	Causes serious eye irritation.	
	H400	Very toxic to aquatic life.	
	H410	Very toxic to aquatic life with long lasting effects.	
	EUH031	Contact with acids liberates toxic gas.	
· Contact:	Wim Lampaert		
	MSc Che	emistry	
 Abbreviations and acronyms: 	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)		
	ADR: Acco	ord relatif au transport international des marchandises dangereuses par opean Agreement Concerning the International Carriage of Dangerous Road)	
		(Contd. on page 12)	
	ADR: Acco route (Euro	opean Agreement Concerning the International Carriage of Dangerous Road)	



Printing date 25.01.2024

Version number 3.08 (replaces version 3.07)

Revision: 25.01.2024

Trade name: TENSAWASH

	(Contd. of page 1
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	VOC: Volatile Organic Compounds (USA, EU)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	ATE: Acute toxicity estimate values
	Acute Tox. 4: Acute toxicity – Category 4
	Skin Corr. 1A: Skin corrosion/irritation – Category 1A
	Skin Corr. 1B: Skin corrosion/irritation – Category 1B
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazaro Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquation hazard – Category 1
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquat
	hazard – Category 2
[.] * Data compared to the	
previous version altered.	