

**Safety data sheet
according to UK REACH**

Printing date 21.02.2025

Version number 1.05 (replaces version 1.04)

Revision: 21.02.2025

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:	TENSIODES OXY
· 1.2 Relevant identified uses of the substance or mixture and uses advised against	
· Sector of Use	SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
· Product category	PC8 Biocidal products
· Technical function	Biocide
· Application of the substance / the mixture	Disinfectant for food processing industries

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:
Tensio
Doornpark 36
9120 Beveren
Belgium
Tel.: +32 3 755 48 74
Fax.: +32 3 755 51 55
e-mail: info@tensio.be

· Further information obtainable from:

Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone number:

België / Belgique: Antigifcentrum / Centre Antipoison : +32 70 245 245

Nederland: Nationaal Vergiftigingen Informatie Centrum : +31 30 274 88 88

TENSIO : +32 7554874

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

2 Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

Safety data sheet
 according to UK REACH

Printing date 21.02.2025

Version number 1.05 (replaces version 1.04)

Revision: 21.02.2025

 Trade name: **TENSIODES OXY**

 · **Hazard pictograms**


GHS07

(Contd. of page 1)

 · **Signal word**

Warning

 · **Hazard statements**

H319 Causes serious eye irritation.

 · **Precautionary statements**

P264 Wash thoroughly after handling.
 P280 Wear eye protection / face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

 · **2.3 Other hazards**

 · **Results of PBT and vPvB assessment**

PBT: Not applicable.
 vPvB: Not applicable.

 * **3 Composition/information on ingredients**

 · **3.2 Mixtures**

 · **Description:** Mixture of substances listed below with nonhazardous additions.

 · **Dangerous components:**

CAS: 7722-84-1 EINECS: 231-765-0 Reg.nr.: 01-2119485845-22- XXXX	hydrogen peroxide solution Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70% Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335: C ≥ 35 %	≥8-≤10%
---	--	---------

 · **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

 · **4.1 Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
 · **After skin contact:** If skin irritation continues, consult a doctor.
 · **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

GB

**Safety data sheet
according to UK REACH**

Printing date 21.02.2025

Version number 1.05 (replaces version 1.04)

Revision: 21.02.2025

Trade name: TENSIODES OXY

(Contd. of page 2)

- **After swallowing:** Rinse out mouth and then drink plenty of water.
Do not induce vomiting.
- **4.2 Most important symptoms and effects, both acute and delayed** Eye contact: lesions, irritations, pain, tearing, redness.
Ingestion: burns, irritation, pain.
- **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically. An eyewash is recommended in the immediate work area.

5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray.
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear fully protective suit.
- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Dilute with plenty water.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

GB

(Contd. on page 4)

Trade name: **TENSIODES OXY**

(Contd. of page 3)

7 Handling and storage

- **7.1 Precautions for safe handling**
 - Do not refill residue into storage receptacles.
Keep away from heat and direct sunlight.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - Storage:**
 - Requirements to be met by storerooms and receptacles:** Store in a cool location.
 - Information about storage in one common storage facility:** Store away from flammable substances.
 - Further information about storage conditions:** Store receptacle in fume cupboard.
Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

 CAS: 7722-84-1 hydrogen peroxide solution ($\geq 8\text{--}<10\%$)

WEL (Great Britain)	Short-term value: 2.8 mg/m ³ , 2 ppm Long-term value: 1.4 mg/m ³ , 1 ppm
---------------------	---

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls

No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.

- Avoid contact with the eyes and skin.

- Not required.

- Synthetic rubber gloves



Protective gloves

(Contd. on page 5)

GB

Trade name: TENSIODES OXY

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: ≥ 0.19 mm

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.



Tightly sealed goggles

· Eye/face protection

Protective work clothing

9 Physical and chemical properties
· 9.1 Information on basic physical and chemical properties
· General Information
· Physical state

Fluid

· Colour:

Colourless

· Odour:

Pungent

· Odour threshold:

Not determined.

· Melting point/freezing point:

6 °C

· Boiling point or initial boiling point and boiling range

~100 °C

· Flammability

Not applicable.

· Lower and upper explosion limit

Not determined.

· Lower:

Not determined.

· Upper:

Not determined.

· Flash point:

Not applicable.

· Decomposition temperature (SADT):

Not determined.

· pH at 20 °C

3

· Viscosity:

Not determined.

· Kinematic viscosity at 20 °C

1.088 mm²/s

· Dynamic:

Not determined.

· Solubility

Not applicable.

· water:

Fully miscible.

· Partition coefficient n-octanol/water (log value)

Not determined.

· Vapour pressure:

Not determined.

(Contd. on page 6)

GB

Trade name: TENSIODES OXY

(Contd. of page 5)

· Density and/or relative density	
· Density at 20 °C:	1.02 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

10 Stability and reactivity

· 10.1 Reactivity	Avoid contact with reducing agents. Strong acid: violent reaction (heat generation) after contact with alkaline products.
· 10.2 Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· 10.3 Possibility of hazardous reactions	Reacts with alkali (lyes).
· 10.4 Conditions to avoid	High temperatures and direct sunlight

(Contd. on page 7)

GB

Printing date 21.02.2025

Version number 1.05 (replaces version 1.04)

Revision: 21.02.2025

Trade name: TENSIODES OXY

(Contd. of page 6)

- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Oxygen

11 Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

CAS: 7722-84-1 hydrogen peroxide solution

Oral	LD50	1,190 mg/kg (rat)
Dermal	LD50	>6,500 mg/kg (rabbit)
Inhalative	LC50/ 4h	2 mg/l (rat)

- **Serious eye damage/irritation** Causes serious eye irritation.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

12 Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **12.2 Persistence and degradability**

No further relevant information available.

- **12.3 Bioaccumulative potential**

No further relevant information available.

- **12.4 Mobility in soil**

No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment):
slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactants ingredients of the product are biodegradable according to the requirements of regulation 648/2004/EC.

GB

(Contd. on page 8)

Printing date 21.02.2025

Version number 1.05 (replaces version 1.04)

Revision: 21.02.2025

Trade name: TENSIODES OXY

(Contd. of page 7)

13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **14.2 UN proper shipping name**
- **ADR** Void
- **Class** -No
- **Label** -No
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:** Not applicable.
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **UN "Model Regulation":** Void

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

CAS: 7722-84-1	hydrogen peroxide solution	12%
----------------	----------------------------	-----

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

None of the ingredients is listed.

- **Labelling according to**

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 9)

GB

Printing date 21.02.2025

Version number 1.05 (replaces version 1.04)

Revision: 21.02.2025

 Trade name: **TENSIODES OXY**

 · **Hazard pictograms**


GHS07

(Contd. of page 8)

 · **Signal word**

Warning

 · **Hazard statements**

H319 Causes serious eye irritation.

 · **Precautionary statements**

 P264 Wash thoroughly after handling.
 P280 Wear eye protection / face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

 · **Directive 2012/18/EU**

 · **Named dangerous substances - ANNEX I**

None of the ingredients is listed.

 · **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 · **Relevant phrases**

 H271 May cause fire or explosion; strong oxidiser.
 H272 May intensify fire; oxidiser.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H335 May cause respiratory irritation.

 · **Contact:**

 Wim Lampaert
 MSc Chemistry

 · **Abbreviations and acronyms:** ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

GB

Printing date 21.02.2025

Version number 1.05 (replaces version 1.04)

Revision: 21.02.2025

Trade name: TENSIODES OXY

(Contd. of page 9)

vPvB: very Persistent and very Bioaccumulative
Ox. Liq. 1: Oxidizing liquids – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

• * Data compared to the
previous version altered.

GB