

Printing date 25.01.2024 Version number 1.01 (replaces version 1.00) Revision: 25.01.2024

# 1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TENSIODES OXY N

Trade name.

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

• Sector of Use SU3 Industrial uses: Uses of substances as such or in

preparations at industrial sites

SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Product category PC8 Biocidal products

· Technical function Biocide

· Application of the substance

/ the mixture Disinfectant for food processing industries

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Tensio

Doornpark 36 9120 Beveren Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

· Further information

obtainable from: Product Safety Departement: SDS@tensio.be

· 1.4 Emergency telephone

number:

België / Belgique: Antigifcentrum / Centre Antipoison: +32 70 245

245

Nederland: Nationaal Vergiftigingen Informatie Centrum: +31 30

274 88 88

TENSIO: +32 7554874

Members of the public seeking specific information on poisons

should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

(Contd. on page 2)



Printing date 25.01.2024 Version number 1.01 (replaces version 1.00) Revision: 25.01.2024

Trade name: TENSIODES OXY N

(Contd. of page 1)

· Hazard pictograms

CHS07

· Signal word Warning

· Hazard statements H319 Causes serious eye irritation.

Precautionary statements P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.
P403+P235 Store in a well-ventilated place. Keep cool.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

# 3 Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 79-33-4	L-Lactic acid (2-hydroxy propionic acid)	≥1–≤2.5%	
EINECS: 201-196-2	♦ Skin Corr. 1C, H314; Eye Dam. 1, H318, EUH071		
CAS: 7722-84-1	hydrogen peroxide solution	≤2.5%	
EINECS: 231-765-0 Reg.nr.: 01-2119485845-22-	Ox. Liq. 1, H271; Skin Corr. 1A, H314; Nacute Tox. 4, H302; Acute Tox. 4, H332		
XXXX	Specific concentration limits:		
	Ox. Liq. 1; H271: C ≥ 70%		
	Ox. Liq. 2; H272: 50 % ≤ C < 70 %		
	Skin Corr. 1A; H314: C ≥ 70 %		
	Skin Corr. 1B; H314: 50 % ≤ C < 70 %		
	Skin Irrit. 2; H315: 35 % ≤ C < 50 %		
	Eye Dam. 1; H318: C ≥ 8 %		
	Eye Irrit. 2; H319: 5 % ≤ C < 8 %		
	STOT SE 3; C ≥ 35 %		
A 1 1'4' 1' 6 4'	For the constituent of the Potential become of the contract of	-11 40	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

· 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: If skin irritation continues, consult a doctor.

(Contd. on page 3)



Printing date 25.01.2024 Version number 1.01 (replaces version 1.00) Revision: 25.01.2024

Trade name: TENSIODES OXY N

(Contd. of page 2)

· After eye contact: Rinse opened eye for several minutes under running water. If

symptoms persist, consult a doctor.

· After swallowing: Rinse out mouth and then drink plenty of water.

 4.2 Most important symptoms and effects, both acute and

delayed Eye contact: lesions, irritations, pain, tearing, redness.

4.3 Indication of any immediate medical attention

and special treatment needed Treat symptomatically. An eyewash is recommended in the

immediate work area.

### 5 Firefighting measures

· 5.1 Extinguishing media · Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

#### 6 Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures

Not required.

· 6.2 Environmental

precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· 7.1 Precautions for safe

handling Do not refill residue into storage receptacles.

(Contd. on page 4)



Printing date 25.01.2024 Version number 1.01 (replaces version 1.00) Revision: 25.01.2024

Trade name: TENSIODES OXY N

(Contd. of page 3)

· Information about fire - and

**explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by

storerooms and receptacles: Store in a cool location.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 7722-84-1 hydrogen peroxide solution (≤2.5%)

WEL (Great Britain) | Short-term value: 2.8 mg/m³, 2 ppm

Long-term value: 1.4 mg/m³, 1 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

· Respiratory protection:

**hygienic measures:** Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin. Not necessary if room is well-ventilated.

Filter ABEK-P3

Use suitable respiratory protective device when high

concentrations are present.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant

to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Nitrile rubber, NBR

(Contd. on page 5)



Version number 1.01 (replaces version 1.00) Revision: 25.01.2024 Printing date 25.01.2024

Trade name: TENSIODES OXY N

(Contd. of page 4)

Recommended thickness of the material: ≥ 0.19 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

· Eye/face protection

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Tightly sealed goggles

· Body protection: Protective work clothing

## 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Colourless

Weak, characteristic · Odour: · Odour threshold: Not determined.

• Melting point/freezing point: 0°C

· Boiling point or initial boiling point and

100 °C (CAS: 7732-18-5 water, distilled, boiling range

conductivity or of similar purity)

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. · Decomposition temperature (SADT): Not determined.

· pH at 20 °C 2.4

· Viscosity:

· Kinematic viscosity Not determined. Not determined. · Dynamic:

· Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value)

Not determined.

23 hPa (CAS: 7732-18-5 water, distilled, · Vapour pressure at 20 °C:

conductivity or of similar purity)

· Density and/or relative density

· Density at 20 °C: 1 a/cm<sup>3</sup>

· Relative density Not determined.

(Contd. on page 6)



Version number 1.01 (replaces version 1.00) Printing date 25.01.2024 Revision: 25.01.2024

Not determined.

Trade name: TENSIODES OXY N

(Contd. of page 5)

· Vapour density

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Molecular weight 18.02 g/mol

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void Void · Flammable gases · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

# 10 Stability and reactivity

No further relevant information available. · 10.1 Reactivity

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

No further relevant information available. · 10.4 Conditions to avoid · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)



Printing date 25.01.2024 Version number 1.01 (replaces version 1.00) Revision: 25.01.2024

Trade name: TENSIODES OXY N

(Contd. of page 6)

· 10.6 Hazardous

**decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

### 12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Water hazard class 1 (German Regulation) (Self-assessment):

slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach

ground water, water course or sewage system.

The surfactants ingredients of the product are biodegradable

according to the requirements of regulation 648/2004/EC.

### 13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)



Printing date 25.01.2024 Version number 1.01 (replaces version 1.00) Revision: 25.01.2024

Trade name: TENSIODES OXY N

(Contd. of page 7)

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

## 14 Transport information

· 14.2 UN proper shipping name

· ADR, IMDG, IATA Void · Class Void · ADR, IMDG, IATA Void

• 14.5 Environmental hazards: Not applicable. • 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to

**IMO instruments** Not applicable.

· UN "Model Regulation": Void

# 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

Pogulatod	ovnlocivos	precursors
Reuulaleu	expiosives	DIECUISUIS

CAS: 7722-84-1 hydrogen peroxide solution

12%

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard statements H319 Causes serious eye irritation.

• Precautionary statements P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 9)



Printing date 25.01.2024 Version number 1.01 (replaces version 1.00) Revision: 25.01.2024

Trade name: TENSIODES OXY N

(Contd. of page 8)

P403+P235 Store in a well-ventilated place. Keep cool.

 Directive 2012/18/EU
 Named dangerous substances - ANNEX I

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.H319 Causes serious eye irritation.

H332 Harmful if inhaled.

EUH071 Corrosive to the respiratory tract.

· Contact: Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Ox. Liq. 1: Oxidizing liquids – Category 1
Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

\* Data compared to the previous version altered.