

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2018 Version number 1 Revision: 10.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>TENSAQUA RO</u> · Article number: 99980000653

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Water conditioner
- · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Tensio Doornpark 36 9120 Beveren

Belgium

Tel.: +32 3 755 48 74 Fax.: +32 3 755 51 55 e-mail: info@tensio.be

- · Further information obtainable from: Product Safety Departement: SDS@tensio.be
- · 1.4 Emergency telephone number: +3237554874

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05, GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:

hydroxyphosphonoacetic acid

2-aminoethanol

· Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

(Contd. on page 2)

Printing date 18.12.2018 Version number 1 Revision: 10.10.2017

Trade name: TENSAQUA RO

(Contd. of page 1)

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|-------------------------|---|-----------|
| | phosphonic acid | ≥2.5–<10% |
| | ♦ Met. Corr.1, H290; ♦ Eye Irrit. 2, H319; Aquatic Chronic 3, H412 | |
| CAS: 23783-26-8 | hydroxyphosphonoacetic acid | 10% |
| ELINCS: 405-710-8 | STOT RE 2, H373; 🥎 Skin Corr. 1B, H314; 🕠 Acute Tox. 4, H302; Skin Sens. 1, H317 | |
| CAS: 141-43-5 | 2-aminoethanol | ≥5–≤10% |
| EINECS: 205-483-3 | Skin Corr. 1B, H314; (1) Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 | |

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

Skin contact: burns, pain, redness.

Eye contact: lesions, irritations, pain, tearing, redness.

Inhalation: malaise, dizziness Ingestion: burns, irritation, pain.

(Contd. on page 3)

Printing date 18.12.2018 Version number 1 Revision: 10.10.2017

Trade name: TENSAQUA RO

(Contd. of page 2)

• **4.3 Indication of any immediate medical attention and special treatment needed**Treat symptomatically. An eyewash is recommended in the immediate work area.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 18.12.2018 Version number 1 Revision: 10.10.2017

Trade name: TENSAQUA RO

(Contd. of page 3)

· 8.1 Control parameters

| · Ingredients with I | imit values that require monitoring at the workplace: | |
|----------------------|---|--|
| CAS: 141-43-5 2-a | minoethanol (≥5–≤10%) | |
| WEL (Great Britain |) Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk | |
| IOELV (EU) | Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Skin | |

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eves.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

http://industrialcatalogue.ansell.eu/en/chemicalagents

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 18.12.2018 Version number 1 Revision: 10.10.2017

Trade name: TENSAQUA RO

(Contd. of page 4)

| 0.4 Information on basis abusined and | | |
|---|---|--|
| 9.1 Information on basic physical and chemical properties General Information | | |
| Appearance: | | |
| Form: | Fluid | |
| Colour: | Brown | |
| Odour: | Characteristic | |
| Odour threshold: | Not determined. | |
| oH-value at 20 °C: | 10 | |
| Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling range | ± 100 ℃ | |
| Flash point: | > 60 °C (calc.) | |
| Flammability (solid, gas): | Not applicable. | |
| gnition temperature: | 385 °C | |
| Decomposition temperature (SADT): | Not determined. | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure at 20 °C: | 23 hPa | |
| Density at 20 °C: | 1.064 g/cm³ | |
| Relative density | Not determined. | |
| Vapour density Evaporation rate | Not determined. | |
| · | Not determined. | |
| Solubility in / Miscibility with | - " ' " ' | |
| water: | Fully miscible. | |
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: Organic solvents: | 8.5 % | |
| VOC (EC) | 8.50 % | |
| 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 6)

Printing date 18.12.2018 Version number 1 Revision: 10.10.2017

Trade name: TENSAQUA RO

(Contd. of page 5)

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 values relevant for classification: | | | |
|---|---|----------------------|--|
| CAS: 237 | CAS: 23783-26-8 hydroxyphosphonoacetic acid | | |
| Oral | LD50 | 2,754 mg/kg (rat) | |
| CAS: 141-43-5 2-aminoethanol | | | |
| Oral | LD50 | 2,050 mg/kg (rat) | |
| Dermal | LD50 | 1,000 mg/kg (rabbit) | |
| Inhalative | LC50/ 4h | 11 mg/l (ATE) | |

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 23783-26-8 hydroxyphosphonoacetic acid

LC50/ 96h | 380 mg/l (fish)

EC50/ 48h 140 mg/l (Daphnia magna)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

The surfactants ingredients of the product are biodegradable according to the requirements of regulation 648/2004/EC.

(Contd. on page 7)

Revision: 10.10.2017 Printing date 18.12.2018 Version number 1

Trade name: TENSAQUA RO

(Contd. of page 6)

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| ADR, IMDG, IATA | UN3266 |
|--|--|
| 14.2 UN proper shipping name | |
| ADR | UN3266 CORROSIVE LIQUID, BASIC, |
| | INORGANIC, N.O.S. (ETHANOLAMINE) |
| IMDG, IATA | CORROSIVE LIQUID, BASIC, INORGANIC, |
| | N.O.S. (ETHANOLAMINE) |
| Class | 8 Corrosive substances. |
| Label | 8 |
| ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: | |
| Marine pollutant: | No |
| 14.6 Special precautions for user | Warning: Corrosive substances. |
| Danger code (Kemler): | 80 |
| EMS Number: | F-A,S-B |
| Segregation groups | Alkalis |
| Stowage Category | Α |
| Stowage Code | SW2 Clear of living quarters. |
| Segregation Code | SG35 Stow "separated from" acids. |
| 14.7 Transport in bulk according to An | nex II |
| of Marpol and the IBC Code | Not applicable. |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 m |
| | Maximum net quantity per outer packaging: 1000 |
| | ml |
| Transport category | 3 |
| Tunnel restriction code | E |
| Limited quantities (LQ) | 5L |

Printing date 18.12.2018 Version number 1 Revision: 10.10.2017

Trade name: TENSAQUA RO

| | (Contd. of page 7) |
|----------------------------|--|
| · Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (ETHANOLAMINE), 8, III |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms GHS05, GHS07, GHS08
- Signal word Danger
- · Hazard-determining components of labelling:

hydroxyphosphonoacetic acid

2-aminoethanol

· Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:

| Class | Share in % |
|-------|------------|
| NK | 8.5 |

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

Printing date 18.12.2018 Version number 1 Revision: 10.10.2017

Trade name: TENSAQUA RO

(Contd. of page 8)

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

· Contact:

Wim Lampaert

MSc Chemistry

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

- GB